

Authentic 2 - Bug #10310

Unable to access admin with my LDAP account after reauthentication when already logged with a standard user.

16 mars 2016 12:39 - Mikaël Ates

Statut: Fermé	Début: 16 mars 2016
Priorité: Normal	Echéance:
Assigné à:	% réalisé: 100%
Catégorie:	Temps estimé: 0:00 heure
Version cible:	Planning:
Patch proposed: Non	

Description

If I'm not logged in, I go to /admin, I authenticate with my ldap account, I have access, no problem.
If I'm logged in with a "standard" user, I go to /admin, I authenticate with my ldap account, the problem occurs.

Tested on the 3M dev.

Environment:

Request Method: GET
Request URL: https://idp-montpellier.dev.entrouvert.org/admin/

Django Version: 1.7.7
Python Version: 2.7.3
Installed Applications:
''
Installed Middleware:
''

Template error:
In template /usr/lib/python2.7/dist-packages/admin_tools/theming/templates/admin/base.html, error at line 39

```
block
29 :         <div id="user-tools">
30 :             {% block welcome-msg %}
31 :                 {% trans 'Welcome,' %}
32 :                 <strong>{% firstof user.get_short_name user.get_username %}</strong>.
33 :             {% endblock %}
34 :             {% block userlinks %}
35 :                 {% url 'django-admin-docs-docroot' as docsroot %}
36 :                 {% if docsroot %}
37 :                     <a href="{% docsroot %}">{% trans 'Documentation' %}</a> /
38 :                 {% endif %}
39 :                 {% if user.has_usable_password %}
40 :                     <a href="{% url 'admin:password_change' %}">{% trans 'Change password' %}<
/a> /
41 :                 {% endif %}
42 :                     <a href="{% url 'admin:logout' %}">{% trans 'Log out' %}</a>
```

```
43 :          {% endblock %}
44 :      </div>
45 :          {% endif %}
46 :          {% block nav-global %}{% endblock %}
47 :      </div>
48 :      <!-- END Header -->
49 :          {% block breadcrumbs %}
```

Traceback:

```
File "/usr/lib/python2.7/dist-packages/django/core/handlers/base.py" in get_response
 137.         response = response.render()
File "/usr/lib/python2.7/dist-packages/django/template/response.py" in render
 103.         self.content = self.rendered_content
File "/usr/lib/python2.7/dist-packages/django/template/response.py" in rendered_content
  80.         content = template.render(context)
File "/usr/lib/python2.7/dist-packages/django/template/base.py" in render
 148.         return self._render(context)
File "/usr/lib/python2.7/dist-packages/django/template/base.py" in _render
 142.         return self.nodelist.render(context)
File "/usr/lib/python2.7/dist-packages/django/template/base.py" in render
 844.         bit = self.render_node(node, context)
File "/usr/lib/python2.7/dist-packages/django/template/debug.py" in render_node
  80.         return node.render(context)
File "/usr/lib/python2.7/dist-packages/django/template/loader_tags.py" in render
 126.         return compiled_parent._render(context)
File "/usr/lib/python2.7/dist-packages/django/template/base.py" in _render
 142.         return self.nodelist.render(context)
File "/usr/lib/python2.7/dist-packages/django/template/base.py" in render
 844.         bit = self.render_node(node, context)
File "/usr/lib/python2.7/dist-packages/django/template/debug.py" in render_node
  80.         return node.render(context)
File "/usr/lib/python2.7/dist-packages/django/template/loader_tags.py" in render
 126.         return compiled_parent._render(context)
File "/usr/lib/python2.7/dist-packages/django/template/base.py" in _render
 142.         return self.nodelist.render(context)
File "/usr/lib/python2.7/dist-packages/django/template/base.py" in render
 844.         bit = self.render_node(node, context)
File "/usr/lib/python2.7/dist-packages/django/template/debug.py" in render_node
  80.         return node.render(context)
File "/usr/lib/python2.7/dist-packages/django/template/defaulttags.py" in render
 312.         return nodelist.render(context)
File "/usr/lib/python2.7/dist-packages/django/template/base.py" in render
 844.         bit = self.render_node(node, context)
File "/usr/lib/python2.7/dist-packages/django/template/debug.py" in render_node
  80.         return node.render(context)
File "/usr/lib/python2.7/dist-packages/django/template/defaulttags.py" in render
 312.         return nodelist.render(context)
File "/usr/lib/python2.7/dist-packages/django/template/base.py" in render
 844.         bit = self.render_node(node, context)
File "/usr/lib/python2.7/dist-packages/django/template/debug.py" in render_node
  80.         return node.render(context)
File "/usr/lib/python2.7/dist-packages/django/template/loader_tags.py" in render
  65.         result = block.nodelist.render(context)
File "/usr/lib/python2.7/dist-packages/django/template/base.py" in render
 844.         bit = self.render_node(node, context)
File "/usr/lib/python2.7/dist-packages/django/template/debug.py" in render_node
  80.         return node.render(context)
File "/usr/lib/python2.7/dist-packages/django/template/defaulttags.py" in render
 305.         match = condition.eval(context)
File "/usr/lib/python2.7/dist-packages/django/template/defaulttags.py" in eval
```

```
898.         return self.value.resolve(context, ignore_failures=True)
File "/usr/lib/python2.7/dist-packages/django/template/base.py" in resolve
596.         obj = self.var.resolve(context)
File "/usr/lib/python2.7/dist-packages/django/template/base.py" in resolve
734.         value = self._resolve_lookup(context)
File "/usr/lib/python2.7/dist-packages/django/template/base.py" in _resolve_lookup
788.         current = current()
File "/usr/lib/python2.7/dist-packages/authentic2/backends/ldap_backend.py" in has_usable_password
163.         return self.block['user_can_change_password']
File "/usr/lib/python2.7/dist-packages/authentic2/backends/ldap_backend.py" in block
63.         return self.ldap_data['block']
```

Exception Type: KeyError at /admin/
Exception Value: 'block'

Révisions associées

Révision 687c7f7a - 31 mars 2016 11:30 - Benjamin Dauvergne

fix login with LDAP account when user is already logged (fixes #10310)

django.contrib.auth.login() flush the current session if an user is currently logged, as the LDAP backend was storing some informations in the session before the effective login, it went badly.

Historique

#1 - 16 mars 2016 12:55 - Mikaël Ates

Happens also on /accounts.

#2 - 31 mars 2016 11:35 - Benjamin Dauvergne

- Statut changé de Nouveau à Résolu (à déployer)

- % réalisé changé de 0 à 100

Appliqué par commit [authentic2|687c7f7a7be819b4dfdbb32578958736f80bf513](#).

#3 - 30 novembre 2016 17:20 - Benjamin Dauvergne

- Statut changé de Résolu (à déployer) à Fermé