

## Publik - Bug #24052

### tox ne fonctionne pas sans usedevelop=True sur la plupart des briques

24 mai 2018 11:28 - Benjamin Dauvergne

<b>Statut:</b>	Nouveau	<b>Début:</b>	24 mai 2018
<b>Priorité:</b>	Bas	<b>Echéance:</b>	
<b>Assigné à:</b>		<b>% réalisé:</b>	0%
<b>Catégorie:</b>		<b>Temps estimé:</b>	0:00 heure
<b>Version cible:</b>		<b>Club:</b>	
<b>Patch proposed:</b>	Non		
<b>Planning:</b>			

#### Description

Sur authentic ça fonctionne sans, je pense parce que le code est dans un sous-répertoire src/, comme c'est assez rare de faire comme cela et que d'autres projets que les nôtres fonctionnent sans usedevelop et avec des packages à la racine du projet, j'aimerais bien comprendre pourquoi on a ce souci.

Erreur obtenue sur combo (en enlevant usedevelop de tox.ini):

```
$ tox -e django18
GLOB sdist-make: /home/bdauvergne/wd/eo/combo/setup.py
django18 create: /tmp/tox-bdauvergne/combo/django18
django18 installdeps: django>=1.8,<1.9, pytest-cov, pytest-django, pytest, WebTest, mock, httmock,
  pylint<1.8, pylint-django<0.9, django-webtest<1.9.3, quixote<3.0, vobject
django18 inst: /tmp/tox-bdauvergne/combo/dist/combo-1.38.dirty.zip
ERROR: invocation failed (exit code 1), logfile: /tmp/tox-bdauvergne/combo/django18/log/django18-2
.log
ERROR: actionid: django18
msg: installpkg
cmdargs: ['/tmp/tox-bdauvergne/combo/django18/bin/pip', 'install', '/tmp/tox-bdauvergne/combo/dist
/combo-1.38.dirty.zip']

Processing /tmp/tox-bdauvergne/combo/dist/combo-1.38.dirty.zip
Requirement already satisfied: django<1.12,>=1.8 in /tmp/tox-bdauvergne/combo/django18/lib/python2
.7/site-packages (from combo===1.38.dirty) (1.8.19)
Collecting django-ckeditor<4.5.3 (from combo===1.38.dirty)
Collecting gadsjo>=0.53 (from combo===1.38.dirty)
Collecting feedparser (from combo===1.38.dirty)
  Downloading https://files.pythonhosted.org/packages/91/d8/7d37fec71ff7c9dbcdd80d2b48bcdd86d6af50
2156fc93846fb0102cb2c4/feedparser-5.2.1.tar.bz2 (192kB)
Collecting django-jsonfield (from combo===1.38.dirty)
Requirement already satisfied: requests in /tmp/tox-bdauvergne/combo/django18/lib/python2.7/site-p
ackages (from combo===1.38.dirty) (2.18.4)
Collecting XStatic-Leaflet (from combo===1.38.dirty)
  Downloading https://files.pythonhosted.org/packages/7f/3c/1840d11ac7ccc9c6120aadf5a0133203e4e2f7
d5f18cd0aa5cb80fdecf10/XStatic-Leaflet-1.0.2.1.tar.gz (248kB)
Collecting XStatic-Leaflet-MarkerCluster (from combo===1.38.dirty)
  Downloading https://files.pythonhosted.org/packages/2d/5a/bce1c826743b9bcc0186be758530139eb25ebd
194bdf2e219f1ce3ed3b69/XStatic-Leaflet-MarkerCluster-1.3.2.1.tar.gz (63kB)
Collecting XStatic-JosefinSans (from combo===1.38.dirty)
  Downloading https://files.pythonhosted.org/packages/19/73/c0f01a1b6ec57b205896fa03d359f7837b866c
beaf731dl78bbda813ed98/XStatic-JosefinSans-0.0.0.tar.gz (1.2MB)
Collecting XStatic_OpenSans (from combo===1.38.dirty)
Collecting XStatic_roboto-fontface (from combo===1.38.dirty)
  Downloading https://files.pythonhosted.org/packages/e8/9a/8227eee15eab470e6e8926c22425384e7c0e04
c6299c6eefd468d3f66b1f/XStatic_roboto_fontface-0.5.0.0-py2.py3-none-any.whl (5.5MB)
Collecting eopayment>=1.13 (from combo===1.38.dirty)
  Downloading https://files.pythonhosted.org/packages/a9/d2/e2a7a11091126b9270f78ebb513cb89f6f1e75
cae9e313c0430745648a77/eopayment-1.23.tar.gz
Requirement already satisfied: python-dateutil in /tmp/tox-bdauvergne/combo/django18/lib/python2.7
/site-packages (from combo===1.38.dirty) (2.7.3)
```

```

Collecting django<3.4,>=3.3 (from combo===1.38.dirty)
  Using cached https://files.pythonhosted.org/packages/45/ce/a626c4e178c7334fbd825612a8e72489ffca8e851a83a5941ab7923f35dd/django<3.4,>=3.3-py2.py3-none-any.whl
Collecting django-haystack (from combo===1.38.dirty)
Collecting whoosh (from combo===1.38.dirty)
  Using cached https://files.pythonhosted.org/packages/ba/19/24d0f1f454a2c1eb689ca28d2f178db81e5024f42d82729a4ff6771155cf/Whoosh-2.7.4-py2.py3-none-any.whl
Collecting sorl-thumbnail (from combo===1.38.dirty)
  Using cached https://files.pythonhosted.org/packages/be/0e/4ba5b7226235d0a9eb847dfd03b8e0ad61dd101cbe1515975793277d8e59/sorl_thumbnail-12.4.1-py2.py3-none-any.whl
Collecting Pillow (from combo===1.38.dirty)
  Using cached https://files.pythonhosted.org/packages/00/49/a0483e7308b4b04b5a898789911dbb876d9fea54e7df0453915e47744cfd/Pillow-5.1.0-cp27-cp27mu-manylinux1_x86_64.whl
Collecting XStatic (from gadjo>=0.53->combo===1.38.dirty)
Collecting XStatic-jQuery (from gadjo>=0.53->combo===1.38.dirty)
Collecting XStatic-Font-Awesome (from gadjo>=0.53->combo===1.38.dirty)
  Using cached https://files.pythonhosted.org/packages/b4/ca/24685f91f744cde936294c033685cb4bb3302430f005cc834d86d75b9640/XStatic_Font_Awesome-4.7.0.0-py2.py3-none-any.whl
Collecting XStatic-jquery-ui (from gadjo>=0.53->combo===1.38.dirty)
Requirement already satisfied: certifi>=2017.4.17 in /tmp/tox-bdauvergne/combo/django18/lib/python2.7/site-packages (from requests->combo===1.38.dirty) (2018.4.16)
Requirement already satisfied: urllib3<1.23,>=1.21.1 in /tmp/tox-bdauvergne/combo/django18/lib/python2.7/site-packages (from requests->combo===1.38.dirty) (1.22)
Requirement already satisfied: idna<2.7,>=2.5 in /tmp/tox-bdauvergne/combo/django18/lib/python2.7/site-packages (from requests->combo===1.38.dirty) (2.6)
Requirement already satisfied: chardet<3.1.0,>=3.0.2 in /tmp/tox-bdauvergne/combo/django18/lib/python2.7/site-packages (from requests->combo===1.38.dirty) (3.0.4)
Collecting pycrypto>=2.5 (from eopayment>=1.13->combo===1.38.dirty)
Requirement already satisfied: six>=1.5 in /tmp/tox-bdauvergne/combo/django18/lib/python2.7/site-packages (from python-dateutil->combo===1.38.dirty) (1.11.0)
Building wheels for collected packages: combo, feedparser, XStatic-Leaflet, XStatic-Leaflet-MarkerCluster, XStatic-JosefinSans, eopayment
  Running setup.py bdist_wheel for combo: started
  Running setup.py bdist_wheel for combo: finished with status 'error'
  Complete output from command /tmp/tox-bdauvergne/combo/django18/bin/python -u -c "import setup tools, tokenize;__file__='/tmp/pip-req-build-W6fmbi/setup.py';f=getattr(tokenize, 'open', open)(__file__);code=f.read().replace('\r\n', '\n');f.close();exec(compile(code, __file__, 'exec'))" bdist_wheel -d /tmp/pip-wheel-Tmd6N0 --python-tag cp27:
  /tmp/tox-bdauvergne/combo/django18/local/lib/python2.7/site-packages/setuptools/dist.py:407: UserWarning: The version specified ('1.38.dirty') is an invalid version, this may not work as expected with newer versions of setuptools, pip, and PyPI. Please see PEP 440 for more details.
    "details." % self.metadata.version
  running bdist_wheel
  running build
  running compile_translations
  !!! Please install Django >= 1.4 to build translations
  running compile_scss
  running build_py
  error: package directory 'combo' does not exist

-----

Failed building wheel for combo
Running setup.py clean for combo
Running setup.py bdist_wheel for feedparser: started
Running setup.py bdist_wheel for feedparser: finished with status 'done'
Stored in directory: /home/bdauvergne/.cache/pip/wheels/8c/69/b7/f52763c41c5471df57703a0ef718a32a5e81ee35dcf6d4f97f
Running setup.py bdist_wheel for XStatic-Leaflet: started
Running setup.py bdist_wheel for XStatic-Leaflet: finished with status 'done'
Stored in directory: /home/bdauvergne/.cache/pip/wheels/b3/c8/54/95e7174d05ac4efe5605a78ad73bfe22df6721a0b3f0ff158b
Running setup.py bdist_wheel for XStatic-Leaflet-MarkerCluster: started
Running setup.py bdist_wheel for XStatic-Leaflet-MarkerCluster: finished with status 'done'
Stored in directory: /home/bdauvergne/.cache/pip/wheels/84/f3/dc/090d3929f0aae35bc0b1b546c49f446937874b50a4bc9fce00
Running setup.py bdist_wheel for XStatic-JosefinSans: started
Running setup.py bdist_wheel for XStatic-JosefinSans: finished with status 'done'

```

```

Stored in directory: /home/bdauvergne/.cache/pip/wheels/fa/d8/e7/3270c0145dd0918clac738c1da9db3e
7040e99c200503f0cac
Running setup.py bdist_wheel for eopayment: started
Running setup.py bdist_wheel for eopayment: finished with status 'done'
Stored in directory: /home/bdauvergne/.cache/pip/wheels/ab/f2/d8/90463fea6c6c0728bbc0abeebc6b3
a60bab10c9ea04f1521
Successfully built feedparser XStatic-Leaflet XStatic-Leaflet-MarkerCluster XStatic-JosefinSans eo
payment
Failed to build combo
django-haystack 2.8.1 has requirement Django>=1.11, but you'll have django 1.8.19 which is incompa
tible.
pylint-django 0.8.0 has requirement pylint>=1.8, but you'll have pylint 1.7.6 which is incompatibl
e.
Installing collected packages: django-ckeditor, XStatic, XStatic-OpenSans, XStatic-jQuery, XStatic
-Font-Awesome, XStatic-jquery-ui, gadjo, feedparser, django-jsonfield, XStatic-Leaflet, XStatic-Le
aflet-MarkerCluster, XStatic-JosefinSans, XStatic-roboto-fontface, pycrypto, eopayment,.djangorest
framework, django-haystack, whoosh, sorl-thumbnail, Pillow, combo
Running setup.py install for combo: started
Running setup.py install for combo: finished with status 'error'
Complete output from command /tmp/tox-bdauvergne/combo/djangol8/bin/python -u -c "import setup
tools, tokenize;__file__='/tmp/pip-req-build-W6fmbi/setup.py';f=getattr(tokenize, 'open', open)(__f
ile__);code=f.read().replace('\r\n', '\n');f.close();exec(compile(code, __file__, 'exec'))" insta
ll --record /tmp/pip-record-kTfyYZ/install-record.txt --single-version-externally-managed --compil
e --install-headers /tmp/tox-bdauvergne/combo/djangol8/include/site/python2.7/combo:
/tmp/tox-bdauvergne/combo/djangol8/local/lib/python2.7/site-packages/setuptools/dist.py:407: U
serWarning: The version specified ('1.38.dirty') is an invalid version, this may not work as expec
ted with newer versions of setuptools, pip, and PyPI. Please see PEP 440 for more details.
"details." % self.metadata.version
running install
running build
running compile_translations
!!! Please install Django >= 1.4 to build translations
running compile_scss
running build_py
error: package directory 'combo' does not exist

-----
Command "/tmp/tox-bdauvergne/combo/djangol8/bin/python -u -c "import setuptools, tokenize;__file__
='/tmp/pip-req-build-W6fmbi/setup.py';f=getattr(tokenize, 'open', open)(__file__);code=f.read().re
place('\r\n', '\n');f.close();exec(compile(code, __file__, 'exec'))" install --record /tmp/pip-rec
ord-kTfyYZ/install-record.txt --single-version-externally-managed --compile --install-headers /tmp
/tox-bdauvergne/combo/djangol8/include/site/python2.7/combo" failed with error code 1 in /tmp/pip-
req-build-W6fmbi/

djangol8 installed: astroid==1.5.3,atomicwrites==1.1.5,attrs==18.1.0,backports.functools-lru-cache
==1.5,beautifulsoup4==4.6.0,certifi==2018.4.16,chardet==3.0.4,configparser==3.5.0,coverage==4.5.1,
Django==1.8.19,django-ckeditor==4.5.1,django-haystack==2.8.1,django-jsonfield==1.0.1,django-webtes
t==1.9.2,djangorestframework==3.3.3,enum34==1.1.6,eopayment==1.23,feedparser==5.2.1,functools==1.0.
2,futures==3.2.0,gadjo==0.53,httmock==1.2.6,idna==2.6,importlib==1.0.4,ipaddress==1.0.23,lazy-objec
t-proxy==1.3.1,mccabe==0.6.1,mock==2.0.0,more-itertools==4.2.0,pbr==4.0.3,Pillow==5.1.0,pluggy==0.6.0,py==1.5.3,pycrypt
o==2.6.1,pylint==1.7.6,pylint-django==0.8.0,pylint-plugin-utils==0.2.6,pytest==3.6.0,pytest-cov==2
.5.1,pytest-django==3.2.1,python-dateutil==2.7.3,Quixote==2.9.1,requests==2.18.4,singledispatch==3
.4.0.3,six==1.11.0,sorl-thumbnail==12.4.1,urllib3==1.22,vobject==0.9.5,waitress==1.1.0,WebOb==1.8.
1,WebTest==2.0.29,Whoosh==2.7.4,wrapt==1.10.11,XStatic==1.0.1,XStatic-Font-Awesome==4.7.0.0,XStati
c-JosefinSans==0.0.0,XStatic-jQuery==1.10.2.1,XStatic-jquery-ui==1.12.0.1,XStatic-Leaflet==1.0.2.1
,XStatic-Leaflet-MarkerCluster==1.3.2.1,XStatic-OpenSans==1.0.0,XStatic-roboto-fontface==0.5.0.0
summary
ERROR: djangol8: InvocationError: /tmp/tox-bdauvergne/combo/djangol8/bin/pip install /tmp/tox-bd
auvergne/combo/dist/combo-1.38.dirty.zip (see /tmp/tox-bdauvergne/combo/djangol8/log/djangol8-2.lo
g)

```

## Historique

#1 - 24 mai 2018 11:47 - Benjamin Dauvergne

Je retire mon exagération, le problème ne semble présent que sur combo et fargo:

```
bdauvergne@revestel:~/wd/eo/fargo$ tox -e dj18-sqlite,coverage-dj18-sqlite
GLOB sdist-make: /home/bdauvergne/wd/eo/fargo/setup.py
dj18-sqlite create: /tmp/tox-bdauvergne/fargo/dj18-sqlite
dj18-sqlite installdeps: django>=1.8,<1.9, django-tables2<1.1, pytest>=3.3.0, pytest-cov, pytest-random, pytes
t-mock, pytest-django, pytest-freezegun, django-webtest, WebTest,.djangorestframework>=3.3,<3.4
dj18-sqlite inst: /tmp/tox-bdauvergne/fargo/dist/fargo-0.23.6.22.g851e50f.dirty.zip
ERROR: invocation failed (exit code 1), logfile: /tmp/tox-bdauvergne/fargo/dj18-sqlite/log/dj18-sqlite-2.log
ERROR: actionid: dj18-sqlite
msg: installpkg
cmdargs: ['/tmp/tox-bdauvergne/fargo/dj18-sqlite/bin/pip', 'install', '/tmp/tox-bdauvergne/fargo/dist/fargo-0.
23.6.22.g851e50f.dirty.zip']
```

```
Processing /tmp/tox-bdauvergne/fargo/dist/fargo-0.23.6.22.g851e50f.dirty.zip
Requirement already satisfied: django>=1.7 in /tmp/tox-bdauvergne/fargo/dj18-sqlite/lib/python2.7/site-package
s (from fargo===0.23.6.22.g851e50f.dirty) (1.8.19)
Collecting gadjo (from fargo===0.23.6.22.g851e50f.dirty)
Requirement already satisfied: django-tables2 in /tmp/tox-bdauvergne/fargo/dj18-sqlite/lib/python2.7/site-pack
ages (from fargo===0.23.6.22.g851e50f.dirty) (1.0.7)
Collecting django-jsonfield>=0.9.3 (from fargo===0.23.6.22.g851e50f.dirty)
Collecting django-filter<2,>1 (from fargo===0.23.6.22.g851e50f.dirty)
  Using cached https://files.pythonhosted.org/packages/ee/99/eb6f20b0ca4e2800279963599971e70c71767b9d151f44fcb
cdlcaa19f32/django_filter-1.1.0-py2.py3-none-any.whl
Requirement already satisfied:.djangorestframework<3.4,>=3.3 in /tmp/tox-bdauvergne/fargo/dj18-sqlite/lib/pyth
on2.7/site-packages (from fargo===0.23.6.22.g851e50f.dirty) (3.3.3)
Collecting file-magic (from fargo===0.23.6.22.g851e50f.dirty)
Collecting requests (from fargo===0.23.6.22.g851e50f.dirty)
  Using cached https://files.pythonhosted.org/packages/49/df/50aa1999ab9bde74656c2919d9c0c085fd2b3775fd3eca826
012bef76d8c/requests-2.18.4-py2.py3-none-any.whl
Collecting sorl-thumbnail (from fargo===0.23.6.22.g851e50f.dirty)
  Using cached https://files.pythonhosted.org/packages/be/0e/4ba5b7226235d0a9eb847dfd03b8e0ad61dd101cbe1515975
793277d8e59/sorl_thumbnail-12.4.1-py2.py3-none-any.whl
Collecting XStatic-jQuery (from gadjo->fargo===0.23.6.22.g851e50f.dirty)
Collecting XStatic-Font-Awesome (from gadjo->fargo===0.23.6.22.g851e50f.dirty)
  Using cached https://files.pythonhosted.org/packages/b4/ca/24685f91f744cde936294c033685cb4bb3302430f005cc834
d86d75b9640/XStatic_Font_Awesome-4.7.0.0-py2.py3-none-any.whl
Collecting XStatic (from gadjo->fargo===0.23.6.22.g851e50f.dirty)
Collecting XStatic-jquery-ui (from gadjo->fargo===0.23.6.22.g851e50f.dirty)
Collecting XStatic-OpenSans (from gadjo->fargo===0.23.6.22.g851e50f.dirty)
Requirement already satisfied: six in /tmp/tox-bdauvergne/fargo/dj18-sqlite/lib/python2.7/site-packages (from
django-tables2->fargo===0.23.6.22.g851e50f.dirty) (1.11.0)
Collecting idna<2.7,>=2.5 (from requests->fargo===0.23.6.22.g851e50f.dirty)
  Using cached https://files.pythonhosted.org/packages/27/cc/6dd9a3869f15c2edfab863b992838277279ce92663d334df9
ecf5106f5c6/idna-2.6-py2.py3-none-any.whl
Collecting certifi>=2017.4.17 (from requests->fargo===0.23.6.22.g851e50f.dirty)
  Using cached https://files.pythonhosted.org/packages/7c/e6/92ad559b7192d846975fc916b65f667c7b8c3a32bea737234
0bfe9a15fa5/certifi-2018.4.16-py2.py3-none-any.whl
Collecting chardet<3.1.0,>=3.0.2 (from requests->fargo===0.23.6.22.g851e50f.dirty)
  Using cached https://files.pythonhosted.org/packages/bc/a9/01ffebfb562e4274b6487b4bb1ddec7ca55ec7510b22e4c51
f14098443b8/chardet-3.0.4-py2.py3-none-any.whl
Collecting urllib3<1.23,>=1.21.1 (from requests->fargo===0.23.6.22.g851e50f.dirty)
  Using cached https://files.pythonhosted.org/packages/63/cb/6965947c13a94236f6d4b8223e21beb4d576dc72e8130bd78
80f600839b8/urllib3-1.22-py2.py3-none-any.whl
Building wheels for collected packages: fargo
  Running setup.py bdist_wheel for fargo: started
  Running setup.py bdist_wheel for fargo: finished with status 'error'
  Complete output from command /tmp/tox-bdauvergne/fargo/dj18-sqlite/bin/python -u -c "import setuptools, toke
nize;__file__='/tmp/pip-req-build-np68Q1/setup.py';f=getattr(tokenize, 'open', open)(__file__);code=f.read().r
eplace('\r\n', '\n');f.close();exec(compile(code, __file__, 'exec'))" bdist_wheel -d /tmp/pip-wheel-d42QPX --p
ython-tag cp27:
  /tmp/tox-bdauvergne/fargo/dj18-sqlite/local/lib/python2.7/site-packages/setuptools/dist.py:407: UserWarning:
The version specified ('0.23.6.22.g851e50f.dirty') is an invalid version, this may not work as expected with
newer versions of setuptools, pip, and PyPI. Please see PEP 440 for more details.
    "details." % self.metadata.version
  running bdist_wheel
  running build
  running compile_translations
  !!! Please install Django >= 1.4 to build translations
  running build_py
  creating build
  creating build/lib.linux-x86_64-2.7
  creating build/lib.linux-x86_64-2.7/fargo
  copying fargo/api_fields.py -> build/lib.linux-x86_64-2.7/fargo
  copying fargo/api_views.py -> build/lib.linux-x86_64-2.7/fargo
  copying fargo/managers.py -> build/lib.linux-x86_64-2.7/fargo
  copying fargo/views.py -> build/lib.linux-x86_64-2.7/fargo
```

```
copying fargo/admin.py -> build/lib.linux-x86_64-2.7/fargo
copying fargo/__init__.py -> build/lib.linux-x86_64-2.7/fargo
copying fargo/tables.py -> build/lib.linux-x86_64-2.7/fargo
copying fargo/utills.py -> build/lib.linux-x86_64-2.7/fargo
copying fargo/forms.py -> build/lib.linux-x86_64-2.7/fargo
copying fargo/api_errors.py -> build/lib.linux-x86_64-2.7/fargo
copying fargo/models.py -> build/lib.linux-x86_64-2.7/fargo
error: package directory 'fargo/oauth2' does not exist
```

```
-----
Failed building wheel for fargo
Running setup.py clean for fargo
Failed to build fargo
Installing collected packages: XStatic-jQuery, XStatic-Font-Awesome, XStatic, XStatic-jquery-ui, XStatic-OpenS
ans, gadjo, django-jsonfield, django-filter, file-magic, idna, certifi, chardet, urllib3, requests, sorl-thumb
nail, fargo
Running setup.py install for fargo: started
Running setup.py install for fargo: finished with status 'error'
Complete output from command /tmp/tox-bdauvergne/fargo/djl8-sqlite/bin/python -u -c "import setuptools, to
kenize;__file__='/tmp/pip-req-build-np68Q1/setup.py';f=getattr(tokenize, 'open', open)(__file__);code=f.read()
.replace('\r\n', '\n');f.close();exec(compile(code, __file__, 'exec'))" install --record /tmp/pip-record-oKd60
0/install-record.txt --single-version-externally-managed --compile --install-headers /tmp/tox-bdauvergne/fargo
/djl8-sqlite/include/site/python2.7/fargo:
/tmp/tox-bdauvergne/fargo/djl8-sqlite/local/lib/python2.7/site-packages/setuptools/dist.py:407: UserWarnin
g: The version specified ('0.23.6.22.g851e50f.dirty') is an invalid version, this may not work as expected wit
h newer versions of setuptools, pip, and PyPI. Please see PEP 440 for more details.
  "details." % self.metadata.version
running install
running build
running compile_translations
!!! Please install Django >= 1.4 to build translations
running build_py
error: package directory 'fargo/oauth2' does not exist
```

```
-----
Command "/tmp/tox-bdauvergne/fargo/djl8-sqlite/bin/python -u -c "import setuptools, tokenize;__file__='/tmp/pi
p-req-build-np68Q1/setup.py';f=getattr(tokenize, 'open', open)(__file__);code=f.read().replace('\r\n', '\n');f
.close();exec(compile(code, __file__, 'exec'))" install --record /tmp/pip-record-oKd600/install-record.txt --s
ingle-version-externally-managed --compile --install-headers /tmp/tox-bdauvergne/fargo/djl8-sqlite/include/sit
e/python2.7/fargo" failed with error code 1 in /tmp/pip-req-build-np68Q1/
```

en modifiant tox.ini comme cela:

```
diff --git a/tox.ini b/tox.ini
index 6f11045..289975c 100644
--- a/tox.ini
+++ b/tox.ini
@@ -3,7 +3,8 @@ toxworkdir = {env:TMPDIR:/tmp}/tox-{env:USER}/fargo/
 envlist = coverage-djl8-sqlite,coverage-djl11-sqlite,coverage-djl8-pg,coverage-djl11-pg

[testenv]
-usedevelop = True
+usedevelop =
+ coverage: true
whitelist_externals =
  /bin/mv
setenv =
```

## #2 - 24 mai 2018 13:39 - Emmanuel Cazenave

Probablement pas le fond du problème mais je mentionne quand même puisque je vois passer la trace

```
!!! Please install Django >= 1.4 to build translations
```

qui vient du pattern employé dans beaucoup de nos setup.py

```
try:
    .....
except ImportError:
    sys.stderr.write('!!! Please install Django >= 1.4 to build translations\n')
```

L'autre jour sur de docbow, de longues heures de perdues pour remonter jusqu'à cette erreur qu'on cache sous le tapis.