

## Gadjo - Bug #34940

### Erreur à l'installation de gadjo avec pip

18 juillet 2019 14:12 - Éloi Rivard

<b>Statut:</b>	Fermé	<b>Début:</b>	18 juillet 2019
<b>Priorité:</b>	Normal	<b>Echéance:</b>	
<b>Assigné à:</b>		<b>% réalisé:</b>	0%
<b>Catégorie:</b>		<b>Temps estimé:</b>	0:00 heure
<b>Version cible:</b>		<b>Planning:</b>	Non
<b>Patch proposed:</b>	Oui		

**Description**

Bonjour,

Sur une Archlinux à jour, avec python 2.7.16, et dans un virtualenv vierge, lorsque j'essaie d'installer gadjo, j'obtiens le message d'erreur suivant :

La version Sass installée sur mon système set 3.7.4

```
pip install gadjo
```

```
DEPRECATION: Python 2.7 will reach the end of its life on January 1st, 2020.
Please upgrade your Python as Python 2.7 won't
be maintained after that date. A future version of pip will drop support for Python 2.7.
Collecting gadjo
  Using cached https://files.pythonhosted.org/packages/89
/fe/a064234d98e5ccada819f529ef5e9276783cf04d89e0344e81e2370b9b46/gadjo-0.73.tar.gz
Collecting XStatic (from gadjo)
Collecting XStatic_Font_Awesome (from gadjo)
  Using cached https://files.pythonhosted.org/packages/b4/ca/24685
f91f744cde936294c033685cb4bb3302430f005cc834d86d75b9640/XStatic_Font_Awesome-4.7.0.0-py2.py3-none-
any.whl
Collecting XStatic_jQuery<2 (from gadjo)
Collecting XStatic_jquery_ui (from gadjo)
Collecting XStatic_OpenSans (from gadjo)
Building wheels for collected packages: gadjo
  Building wheel for gadjo (setup.py) ... error
  ERROR: Complete output from command /home/eloi/env/bin/python2 -u -c '
import setuptools, tokenize;__file__='''/tmp/pip-install-nkfavr/gadjo/setup.py''''
;f=getattr(tokenize, '''open''', open)(__file__);code=f.read().replace('''\r\n''', '''\n
''');f.close();exec(compile(code, __file__, '''exec'''))'
bdist_wheel -d /tmp/pip-wheel-cIES5c --python-tag cp27:
  ERROR: running bdist_wheel
  running build
  running compile_translations
  !!! Please install Django >= 1.4 to build translations
  running compile_scss
  Error: Invalid US-ASCII character "\xE2"
        on line 1118 of gadjo/static/css/gadjo.scss
  Use --trace for backtrace.
Traceback (most recent call last):
  File "<string>", line 1, in <module>
  File "/tmp/pip-install-nkfavr/gadjo/setup.py", line 247, in <module>
    'sdist': eo_sdist
  File "/home/eloi/env/lib/python2.7/site-packages/setuptools/__init__.py", line 145, in setup
    return distutils.core.setup(**attrs)
  File "/usr/lib64/python2.7/distutils/core.py", line 151, in setup
    dist.run_commands()
  File "/usr/lib64/python2.7/distutils/dist.py", line 953, in run_commands
    self.run_command(cmd)
  File "/usr/lib64/python2.7/distutils/dist.py", line 972, in run_command
    cmd_obj.run()
  File "/home/eloi/env/lib/python2.7/site-packages/wheel/bdist_wheel.py", line 192, in run
    self.run_command('build')
```

```

File "/usr/lib64/python2.7/distutils/cmd.py", line 326, in run_command      self
.distribution.run_command(command)      File "/usr/lib64/python2.7/distutils/dist.py", line 972, in
run_command
    cmd_obj.run()
File "/usr/lib64/python2.7/distutils/command/build.py", line 127, in run      self
.run_command(cmd_name)      File "/usr/lib64/python2.7/distutils/cmd.py", line 326, in run_command
    self.distribution.run_command(command)
File "/usr/lib64/python2.7/distutils/dist.py", line 972, in run_command
    cmd_obj.run()
File "/tmp/pip-install-nkfavr/gadjo/setup.py", line 116, in run
    env={'LC_ALL': 'C.UTF-8'}
File "/usr/lib64/python2.7/subprocess.py", line 190, in check_call
    raise CalledProcessError(retcode, cmd)
subprocess.CalledProcessError: Command '['/usr/bin/sass', 'gadjo/static/css/gadjo.scss', '
gadjo/static/css/gadjo.css']' returned non-zero exit status 65
-----
ERROR: Failed building wheel for gadjo
Running setup.py clean for gadjo
Failed to build gadjo
Installing collected packages: XStatic, XStatic-Font-Awesome, XStatic-jQuery, XStatic-jquery-ui, X
Static-OpenSans, gadjo
Running setup.py install for gadjo ... error
ERROR: Complete output from command /home/eloi/env/bin/python2 -u -c '
import setuptools, tokenize;__file__=''''/tmp/pip-install-nkfavr/gadjo/setup.py''''
;f=getattr(tokenize, '''open''', open)(__file__);code=f.read().replace('''\r\n''', '''\n
''');f.close();exec(compile(code, __file__, '''exec'''))'
install --record /tmp/pip-record-QbW7TU/install-record.txt --single-version-externally-managed --
compile --install-headers /home/eloi/env/include/site/python2.7/gadjo:
ERROR: running install
running build
running compile_translations
!!! Please install Django >= 1.4 to build translations
running compile_scss
Error: Invalid US-ASCII character "\xE2"
    on line 1118 of gadjo/static/css/gadjo.scss
Use --trace for backtrace.
Traceback (most recent call last):
File "<string>", line 1, in <module>
File "/tmp/pip-install-nkfavr/gadjo/setup.py", line 247, in <module>
    'sdist': eo_sdist
File "/home/eloi/env/lib/python2.7/site-packages/setuptools/__init__.py", line 145, in setup
    return distutils.core.setup(**attrs)
File "/usr/lib64/python2.7/distutils/core.py", line 151, in setup
    dist.run_commands()
File "/usr/lib64/python2.7/distutils/dist.py", line 953, in run_commands
    self.run_command(cmd)
File "/usr/lib64/python2.7/distutils/dist.py", line 972, in run_command
    cmd_obj.run()
File "/home/eloi/env/lib/python2.7/site-packages/setuptools/command/install.py", line 61, in
run
    return orig.install.run(self)
File "/usr/lib64/python2.7/distutils/command/install.py", line 563, in run
    self.run_command('build')      File "/usr/lib64/python2.7/distutils/cmd.py", line 326, in
run_command
    self.distribution.run_command(command)
File "/usr/lib64/python2.7/distutils/dist.py", line 972, in run_command
    cmd_obj.run()
File "/usr/lib64/python2.7/distutils/command/build.py", line 127, in run
    self.run_command(cmd_name)
File "/usr/lib64/python2.7/distutils/cmd.py", line 326, in run_command
    self.distribution.run_command(command)
File "/usr/lib64/python2.7/distutils/dist.py", line 972, in run_command
    cmd_obj.run()
File "/tmp/pip-install-nkfavr/gadjo/setup.py", line 116, in run
    env={'LC_ALL': 'C.UTF-8'}
File "/usr/lib64/python2.7/subprocess.py", line 190, in check_call
    raise CalledProcessError(retcode, cmd)
subprocess.CalledProcessError: Command '['/usr/bin/sass', 'gadjo/static/css/gadjo.scss', '

```

```
gadjo/static/css/gadjo.css']' returned non-zero exit status 65
-----
ERROR: Command "/home/eloi/env/bin/python2 -u -c 'import setuptools, tokenize;__file__=''''/tmp/pip-install-nkfavr/gadjo/setup.py''';f=getattr(tokenize, ''''open''''', open)(__file__);code=f.read().replace(''''\r\n''', '''\n''');f.close();exec(compile(code, __file__, ''''exec'''))' install --record /tmp/pip-record-QbW7TU/install-record.txt --single-version-externally-managed --compile --install-headers /home/eloi/env/include/site/python2.7/gadjo" failed with error code 1 in /tmp/pip-install-nkfavr/gadjo/
```

## Révisions associées

---

### Révision f90815fd - 19 juillet 2019 07:12 - Frédéric Péters

misc: declare charset of scss files (#34940)

## Historique

---

### #1 - 18 juillet 2019 14:23 - Frédéric Péters

- Fichier 0001-misc-declare-charset-of-scss-files-34940.patch ajouté
- Statut changé de Nouveau à Solution proposée
- Patch proposed changé de Non à Oui

Ça devrait être ok avec une locale UTF-8 (en faisant LC\_ALL=C.UTF-8 avant de lancer le pip install par exemple), patch attaché pour être explicite sur l'encodage des caractères.

### #2 - 18 juillet 2019 14:27 - Éloi Rivard

Merci pour le patch.

```
env LC_ALL=C.UTF-8 pip install gadjo
```

### #3 - 18 juillet 2019 14:28 - Éloi Rivard

Merci pour le patch,  
J'ai cependant toujours la même erreur avec

```
env LC_ALL=C.UTF-8 pip install gadjo
```

### #4 - 18 juillet 2019 14:30 - Frédéric Péters

Sans doute l'environnement n'est-il pas propagé jusque la commande sass, je verrai demain pour publier une nouvelle version sur pypi.

### #5 - 18 juillet 2019 17:03 - Thomas Noël

- Statut changé de Solution proposée à Solution validée

### #6 - 19 juillet 2019 07:13 - Frédéric Péters

- Statut changé de Solution validée à Résolu (à déployer)

```
commit f90815fdf9bf944d28c2b2dc97e9f146b7551926
Author: Frédéric Péters <fpeters@entrouvert.com>
Date: Thu Jul 18 14:21:49 2019 +0200
```

```
misc: declare charset of scss files (#34940)
```

### #7 - 19 juillet 2019 08:03 - Frédéric Péters

Voilà, version 0.81 posée sur pypi.

### #8 - 19 juillet 2019 08:15 - Frédéric Péters

- Statut changé de Résolu (à déployer) à Solution déployée

### #9 - 19 juillet 2019 09:51 - Éloi Rivard

Je confirme que ça fonctionne. Merci.

## Fichiers

---

