

## Authentic 2 - Development #43287

**import\_site: UnicodeEncodeError: 'ascii' codec can't encode character u'\xf4' in position 26: ordinal not in range(128)**

25 mai 2020 19:59 - Serghei Mihai

<b>Statut:</b>	Fermé	<b>Début:</b>	25 mai 2020
<b>Priorité:</b>	Normal	<b>Echéance:</b>	
<b>Assigné à:</b>	Benjamin Dauvergne	<b>% réalisé:</b>	0%
<b>Catégorie:</b>		<b>Temps estimé:</b>	0:00 heure
<b>Version cible:</b>		<b>Planning:</b>	Non
<b>Patch proposed:</b>	Oui		

**Description**

Lors d'une tentative d'import d'un json avec les rôle:

```
sudo -u authentic-multitenant authentic2-multitenant-manage tenant_command import_site /tmp/a2_vil  
leurbanne_export.json -d connexion-villeurbanne.test.entrouvert.org -v 3
```

Les messages d'erreur ne peuvent être affichés:

```
Traceback (most recent call last):  
  File "/usr/lib/authentic2/manage.py", line 21, in <module>  
    execute_from_command_line(sys.argv[:1] + argv)  
  File "/usr/lib/python2.7/dist-packages/django/core/management/__init__.py", line 364, in execute  
_from_command_line  
    utility.execute()  
  File "/usr/lib/python2.7/dist-packages/django/core/management/__init__.py", line 356, in execute  
self.fetch_command(subcommand).run_from_argv(self.argv)  
  File "/usr/lib/python2.7/dist-packages/hobo/multitenant/management/commands/tenant_command.py",  
line 140, in run_from_argv  
    klass.run_from_argv(args)  
  File "/usr/lib/python2.7/dist-packages/django/core/management/base.py", line 283, in run_from_ar  
gv  
    self.execute(*args, **cmd_options)  
  File "/usr/lib/python2.7/dist-packages/hobo/agent/authentic2/apps.py", line 45, in new_execute  
return old_execute(self, *args, **kwargs)  
  File "/usr/lib/python2.7/dist-packages/django/core/management/base.py", line 330, in execute  
output = self.handle(*args, **options)  
  File "/usr/lib/python2.7/dist-packages/authentic2/management/commands/import_site.py", line 81,  
in handle  
    result = import_site(json.load(f), ImportContext(**c_kwargs))  
  File "/usr/lib/python2.7/dist-packages/authentic2/data_transfer.py", line 371, in import_site  
result.update_parentings(*ds.parentings())  
  File "/usr/lib/python2.7/dist-packages/authentic2/data_transfer.py", line 193, in f  
'errors': lazy_join(', ', [v.message for v in e.error_list]),  
  File "/usr/lib/python2.7/dist-packages/django/utils/functional.py", line 162, in __mod__  
return six.text_type(self) % rhs  
  File "/usr/lib/python2.7/dist-packages/django/utils/functional.py", line 119, in __text_cast  
return func(*self.__args, **self.__kw)  
  File "/usr/lib/python2.7/dist-packages/django/utils/text.py", line 448, in _format_lazy  
return format_string.format(*args, **kwargs)  
UnicodeEncodeError: 'ascii' codec can't encode character u'\xf4' in position 26: ordinal not in ra  
nge(128)
```

### Révisions associées

Révision c9a6f1b7 - 18 juin 2020 09:30 - Benjamin Dauvergne

misc: use unicode strings in lazy\_join (#43287)

### Historique

**#1 - 26 mai 2020 10:07 - Valentin Deniaud**

Looks like [#42584](#).

**#2 - 26 mai 2020 10:20 - Benjamin Dauvergne**

- Assigné à mis à Benjamin Dauvergne

**#3 - 26 mai 2020 10:20 - Benjamin Dauvergne**

- Fichier 0001-misc-use-unicode-strings-in-lazy\_join-43287.patch ajouté

- Tracker changé de Bug à Development

- Statut changé de Nouveau à Solution proposée

- Patch proposed changé de Non à Oui

**#4 - 02 juin 2020 09:34 - Serghei Mihai**

- Statut changé de Solution proposée à Solution validée

**#5 - 18 juin 2020 09:31 - Benjamin Dauvergne**

- Statut changé de Solution validée à Résolu (à déployer)

```
commit c9a6f1b75495a99e14992aec3b0beb9ba9ba759e
Author: Benjamin Dauvergne <bdauvergne@entrouvert.com>
Date: Tue May 26 10:20:04 2020 +0200
```

```
misc: use unicode strings in lazy_join (#43287)
```

**#6 - 01 juillet 2020 21:16 - Frédéric Péters**

- Statut changé de Résolu (à déployer) à Solution déployée

**Fichiers**

---

0001-misc-use-unicode-strings-in-lazy_join-43287.patch	2,63 ko	26 mai 2020	Benjamin Dauvergne
--	---------	-------------	--------------------