

Publik Installation Développeur - Support #58910

Install publik-devinst sur Sid : problème de certificat ?

23 novembre 2021 15:45 - Pierre Cros

Statut:	Fermé	Début:	23 novembre 2021
Priorité:	Normal	Echéance:	
Assigné à:		% réalisé:	0%
Catégorie:		Temps estimé:	0:00 heure
Version cible:		Planning:	Non
Patch proposed:	Non		
Description			
Sur ma machine, purgée de toute install nginx, je vais jusqu'à			
<pre>ansible-playbook -i inventory.yml deploy-tenants.yml</pre>			
Et j'obtiens :			
<pre>TASK [deploy-tenants : Run command hobo-manage to initiate the development subdomains and a super-user] ***** fatal: [localhost]: FAILED! => {"changed": true, "cmd": ["/home/pcros/envs/publik-env-py3/bin/hobo-manage", "cook", "/tmp/cook-recipe.json", "--timeout=600"], "delta": "0:00:00.639037", "end": "2021-11-23 15:39:33.774622", "msg": "non-zero return code", "rc": 1, "start": "2021-11-23 15:39:33.135585", "stderr": "<string>:199: UserWarning: journald will not be used directly, please install python-systemd\nStarting new HTTPS connection (1): hobo.dev.publik.love:443\nCommandError: ['Erreur\\xa0: pas de certificat valide pour https://hobo.dev.publik.love/']", "stderr_lines": ["<string>:199: UserWarning: journald will not be used directly, please install python-systemd", "Starting new HTTPS connection (1): hobo.dev.publik.love:443", "CommandError: ['Erreur\\xa0: pas de certificat valide pour https://hobo.dev.publik.love/']"], "stdout": "", "stdout_lines": []} PLAY RECAP ***** ***** localhost : ok=9 changed=1 unreachable=0 failed=1 skipped=1 rescue d=0 ignored=0 cat /var/log/hobo-agent/stderr.log [2021-11-23 06:01:06,287: WARNING/MainProcess] Please run `celery upgrade settings path/to/settings.py` to avoid these warnings and to allow a smoother upgrade to Celery 6.0. [2021-11-23 06:01:06,387: INFO/MainProcess] Connected to amqp://guest:**@127.0.0.1:5672// [2021-11-23 06:01:06,429: INFO/MainProcess] mingle: searching for neighbors [2021-11-23 06:01:06,436: WARNING/MainProcess] No hostname was supplied. Reverting to default 'localhost' [2021-11-23 06:01:07,499: INFO/MainProcess] mingle: all alone [2021-11-23 06:01:07,540: INFO/MainProcess] celery@hobo.agent.carbon-x1 ready. ping authentic.dev.publik.love pcros@carbon-x1:~/dev/publik-devinst\$ ping authentic.dev.publik.love PING localhost (127.0.0.1) 56(84) bytes of data. 64 bytes from localhost (127.0.0.1): icmp_seq=1 ttl=64 time=0.051 ms 64 bytes from localhost (127.0.0.1): icmp_seq=2 ttl=64 time=0.036 ms 64 bytes from localhost (127.0.0.1): icmp_seq=3 ttl=64 time=0.092 ms ^C</pre>			
Demandes liées:			
Lié à Publik Installation Développeur - Development #58934: Assurer une compa...		Fermé	24 novembre 2021

Historique

#1 - 23 novembre 2021 17:46 - Emmanuel Cazenave

Tu peux tenter un `sudo systemctl reload nginx` puis repartir sur `ansible-playbook -i inventory.yml deploy-tenants.yml`.

J'ai tout refait pour être sûr.

Le message d'erreur est différent :

```
TASK [deploy-tenants : Run command hobo-manage to initiate the development subdomains and a super-user] *****
*****
fatal: [localhost]: FAILED! => {"changed": true, "cmd": ["/home/pcros/envs/publik-env-py3/bin/hobo-manage", "c
ook"], "/tmp/cook-recipe.json", "--timeout=600"], "delta": "0:00:01.289691", "end": "2021-11-23 18:09:03.671227
", "msg": "non-zero return code", "rc": 1, "start": "2021-11-23 18:09:02.381536", "stderr": "<string>:199: Use
rWarning: journald will not be used directly, please install python-systemd\nStarting new HTTPS connection (1)
: hobo.dev.publik.love:443\nhttps://hobo.dev.publik.love:443 \"GET / HTTP/1.1\" 302 0\nStarting new HTTPS conn
ection (1): authentic.dev.publik.love:443\nhttps://authentic.dev.publik.love:443 \"GET / HTTP/1.1\" 404 None\n
Starting new HTTPS connection (1): combo.dev.publik.love:443\nhttps://combo.dev.publik.love:443 \"GET / HTTP/1
.1\" 404 None\nStarting new HTTPS connection (1): agent-combo.dev.publik.love:443\nhttps://agent-combo.dev.pub
lik.love:443 \"GET / HTTP/1.1\" 404 None\nStarting new HTTPS connection (1): wcs.dev.publik.love:443\nhttps://
wcs.dev.publik.love:443 \"GET / HTTP/1.1\" 404 None\nStarting new HTTPS connection (1): passerelle.dev.publik.
love:443\nhttps://passerelle.dev.publik.love:443 \"GET / HTTP/1.1\" 404 None\nStarting new HTTPS connection (1
): fargo.dev.publik.love:443\nhttps://fargo.dev.publik.love:443 \"GET / HTTP/1.1\" 404 None\nStarting new HTTP
S connection (1): chrono.dev.publik.love:443\nhttps://chrono.dev.publik.love:443 \"GET / HTTP/1.1\" 404 None\n
Starting new HTTPS connection (1): bijoe.dev.publik.love:443\nhttps://bijoe.dev.publik.love:443 \"GET / HTTP/1
.1\" 404 None\nTraceback (most recent call last):\n File \"/home/pcros/src/hobo/manage.py\", line 10, in <mod
ule>\n     execute_from_command_line(sys.argv)\n File \"/home/pcros/envs/publik-env-py3/lib/python3.9/site-pac
kages/django/core/management/__init__.py\", line 381, in execute_from_command_line\n     utility.execute()\n F
ile \"/home/pcros/envs/publik-env-py3/lib/python3.9/site-packages/django/core/management/__init__.py\", line 3
75, in execute\n     self.fetch_command(subcommand).run_from_argv(self.argv)\n File \"/home/pcros/envs/publik-
env-py3/lib/python3.9/site-packages/django/core/management/base.py\", line 323, in run_from_argv\n     self.exe
cute(*args, **cmd_options)\n File \"/home/pcros/envs/publik-env-py3/lib/python3.9/site-packages/django/core/m
anagement/base.py\", line 364, in execute\n     output = self.handle(*args, **options)\n File \"/home/pcros/sr
c/hobo/hobo/environment/management/commands/cook.py\", line 87, in handle\n     self.run_cook(recipe)\n File \
"/home/pcros/src/hobo/hobo/environment/management/commands/cook.py\", line 111, in run_cook\n     getattr(self,
     action.replace('-', '_'))(**action_args)\n File \"/home/pcros/src/hobo/hobo/environment/management/commands/
cook.py\", line 194, in create_superuser\n     user, created = User.objects.get_or_create(username=username, em
ail=email, is_superuser=True)\n File \"/home/pcros/envs/publik-env-py3/lib/python3.9/site-packages/django/db/
models/manager.py\", line 82, in manager_method\n     return getattr(self.get_queryset(), name)(*args, **kwargs
)\n File \"/home/pcros/envs/publik-env-py3/lib/python3.9/site-packages/django/db/models/query.py\", line 538,
in get_or_create\n     return self.get(**kwargs), False\n File \"/home/pcros/envs/publik-env-py3/lib/python3.
9/site-packages/django/db/models/query.py\", line 402, in get\n     num = len(clone)\n File \"/home/pcros/envs
/publik-env-py3/lib/python3.9/site-packages/django/db/models/query.py\", line 256, in __len__\n     self._fetch
_all()\n File \"/home/pcros/envs/publik-env-py3/lib/python3.9/site-packages/django/db/models/query.py\", line
1242, in _fetch_all\n     self._result_cache = list(self._iterable_class(self))\n File \"/home/pcros/envs/pub
lik-env-py3/lib/python3.9/site-packages/django/db/models/query.py\", line 55, in __iter__\n     results = compi
ler.execute_sql(chunked_fetch=self.chunked_fetch, chunk_size=self.chunk_size)\n File \"/home/pcros/envs/publi
k-env-py3/lib/python3.9/site-packages/django/db/models/sql/compiler.py\", line 1175, in execute_sql\n     retur
n list(result)\n File \"/home/pcros/envs/publik-env-py3/lib/python3.9/site-packages/django/db/models/sql/comp
iler.py\", line 1554, in cursor_iter\n     for rows in iter((lambda: cursor.fetchmany(itersize)), sentinel):\n
     File \"/home/pcros/envs/publik-env-py3/lib/python3.9/site-packages/django/db/models/sql/compiler.py\", line 1
554, in <lambda>\n     for rows in iter((lambda: cursor.fetchmany(itersize)), sentinel):\n File \"/home/pcros/
envs/publik-env-py3/lib/python3.9/site-packages/django/db/utils.py\", line 96, in inner\n     return func(*args
, **kwargs)\n File \"/home/pcros/envs/publik-env-py3/lib/python3.9/site-packages/django/db/backends/postgresq
l/utils.py\", line 6, in utc_tzinfo_factory\n     raise AssertionError(\"database connection isn't set to UTC\")
\nAssertionError: database connection isn't set to UTC\", \"stderr_lines\": [\"<string>:199: UserWarning: journal
d will not be used directly, please install python-systemd\", \"Starting new HTTPS connection (1): hobo.dev.publ
ik.love:443\", \"https://hobo.dev.publik.love:443 \"GET / HTTP/1.1\" 302 0\", \"Starting new HTTPS connection (1):
authentic.dev.publik.love:443\", \"https://authentic.dev.publik.love:443 \"GET / HTTP/1.1\" 404 None\", \"Startin
g new HTTPS connection (1): combo.dev.publik.love:443\", \"https://combo.dev.publik.love:443 \"GET / HTTP/1.1\"
404 None\", \"Starting new HTTPS connection (1): agent-combo.dev.publik.love:443\", \"https://agent-combo.dev.publ
ik.love:443 \"GET / HTTP/1.1\" 404 None\", \"Starting new HTTPS connection (1): wcs.dev.publik.love:443\", \"https
://wcs.dev.publik.love:443 \"GET / HTTP/1.1\" 404 None\", \"Starting new HTTPS connection (1): passerelle.dev.pu
blik.love:443\", \"https://passerelle.dev.publik.love:443 \"GET / HTTP/1.1\" 404 None\", \"Starting new HTTPS conn
ection (1): fargo.dev.publik.love:443\", \"https://fargo.dev.publik.love:443 \"GET / HTTP/1.1\" 404 None\", \"Star
ting new HTTPS connection (1): chrono.dev.publik.love:443\", \"https://chrono.dev.publik.love:443 \"GET / HTTP/1
.1\" 404 None\", \"Starting new HTTPS connection (1): bijoe.dev.publik.love:443\", \"https://bijoe.dev.publik.love
:443 \"GET / HTTP/1.1\" 404 None\", \"Traceback (most recent call last):\", \" File \"/home/pcros/src/hobo/manag
e.py\", line 10, in <module>\", \"     execute_from_command_line(sys.argv)\", \" File \"/home/pcros/envs/publik-env
-py3/lib/python3.9/site-packages/django/core/management/__init__.py\", line 381, in execute_from_command_line\"
, \"     utility.execute()\", \" File \"/home/pcros/envs/publik-env-py3/lib/python3.9/site-packages/django/core/m
anagement/__init__.py\", line 375, in execute\", \"     self.fetch_command(subcommand).run_from_argv(self.argv)\",
\" File \"/home/pcros/envs/publik-env-py3/lib/python3.9/site-packages/django/core/management/base.py\", line
323, in run_from_argv\", \"     self.execute(*args, **cmd_options)\", \" File \"/home/pcros/envs/publik-env-py3/li
b/python3.9/site-packages/django/core/management/base.py\", line 364, in execute\", \"     output = self.handle(*
args, **options)\", \" File \"/home/pcros/src/hobo/hobo/environment/management/commands/cook.py\", line 87, in
handle\", \"     self.run_cook(recipe)\", \" File \"/home/pcros/src/hobo/hobo/environment/management/commands/cook
.py\", line 111, in run_cook\", \"     getattr(self, action.replace('-', '_'))(**action_args)\", \" File \"/home/p
```

```
cros/src/hobo/hobo/environment/management/commands/cook.py", line 194, in create_superuser", " user, creat
ed = User.objects.get_or_create(username=username, email=email, is_superuser=True)", " File \"/home/pcros/env
s/publik-env-py3/lib/python3.9/site-packages/django/db/models/manager.py", line 82, in manager_method", "
return getattr(self.get_queryset(), name)(*args, **kwargs)", " File \"/home/pcros/envs/publik-env-py3/lib/pyt
hon3.9/site-packages/django/db/models/query.py", line 538, in get_or_create", " return self.get(**kwargs),
False", " File \"/home/pcros/envs/publik-env-py3/lib/python3.9/site-packages/django/db/models/query.py", li
ne 402, in get", " num = len(clone)", " File \"/home/pcros/envs/publik-env-py3/lib/python3.9/site-packages
/django/db/models/query.py", line 256, in __len__", " self._fetch_all()", " File \"/home/pcros/envs/publi
k-env-py3/lib/python3.9/site-packages/django/db/models/query.py", line 1242, in _fetch_all", " self._resul
t_cache = list(self._iterable_class(self))", " File \"/home/pcros/envs/publik-env-py3/lib/python3.9/site-pack
ages/django/db/models/query.py", line 55, in __iter__", " results = compiler.execute_sql(chunked_fetch=sel
f.chunked_fetch, chunk_size=self.chunk_size)", " File \"/home/pcros/envs/publik-env-py3/lib/python3.9/site-pa
ckages/django/db/models/sql/compiler.py", line 1175, in execute_sql", " return list(result)", " File \"/h
ome/pcros/envs/publik-env-py3/lib/python3.9/site-packages/django/db/models/sql/compiler.py", line 1554, in cu
rsor_iter", " for rows in iter((lambda: cursor.fetchmany(itersize)), sentinel):", " File \"/home/pcros/env
s/publik-env-py3/lib/python3.9/site-packages/django/db/models/sql/compiler.py", line 1554, in <lambda>", "
for rows in iter((lambda: cursor.fetchmany(itersize)), sentinel):", " File \"/home/pcros/envs/publik-env-py3
/lib/python3.9/site-packages/django/db/utils.py", line 96, in inner", " return func(*args, **kwargs)", "
File \"/home/pcros/envs/publik-env-py3/lib/python3.9/site-packages/django/db/backends/postgresql/utils.py", l
ine 6, in utc_tzinfo_factory", " raise AssertionError("\ndatabase connection isn't set to UTC\nd)", "Assertio
nError: database connection isn't set to UTC", "stdout": "", "stdout_lines": []
```

```
PLAY RECAP *****
*****
localhost : ok=9 changed=1 unreachable=0 failed=1 skipped=1 rescued=0 ignor
ed=0
```

Et surtout j'ai dans /var/log/hobo-agent/stderr.log

```
[2021-11-22 19:35:16,504: WARNING/MainProcess] No hostname was supplied. Reverting to default 'localhost'
[2021-11-22 19:35:16,525: WARNING/MainProcess] /home/pcros/envs/publik-env-py3/lib/python3.9/site-packages/cel
ery/app/utils.py:204: CDeprecationWarning:
The 'CELERY_RESULT_SERIALIZER' setting is deprecated and scheduled for removal in
version 6.0.0. Use the result_serializer instead
```

```
deprecated.warn(description=f'The {setting!r} setting',
```

```
[2021-11-22 19:35:16,525: WARNING/MainProcess] /home/pcros/envs/publik-env-py3/lib/python3.9/site-packages/cel
ery/app/utils.py:204: CDeprecationWarning:
The 'CELERY_TASK_SERIALIZER' setting is deprecated and scheduled for removal in
version 6.0.0. Use the task_serializer instead
```

```
deprecated.warn(description=f'The {setting!r} setting',
```

```
[2021-11-22 19:35:16,525: WARNING/MainProcess] /home/pcros/envs/publik-env-py3/lib/python3.9/site-packages/cel
ery/app/utils.py:204: CDeprecationWarning:
The 'CELERY_ACCEPT_CONTENT' setting is deprecated and scheduled for removal in
version 6.0.0. Use the accept_content instead
```

```
deprecated.warn(description=f'The {setting!r} setting',
```

```
[2021-11-22 19:35:16,525: WARNING/MainProcess] /home/pcros/envs/publik-env-py3/lib/python3.9/site-packages/cel
ery/app/utils.py:204: CDeprecationWarning:
The 'CELERY_QUEUES' setting is deprecated and scheduled for removal in
version 6.0.0. Use the task_queues instead
```

```
deprecated.warn(description=f'The {setting!r} setting',
```

```
[2021-11-22 19:35:16,525: WARNING/MainProcess] Please run `celery upgrade settings path/to/settings.py` to avo
id these warnings and to allow a smoother upgrade to Celery 6.0.
[2021-11-22 19:35:16,628: INFO/MainProcess] Connected to amqp://guest:**@127.0.0.1:5672//
[2021-11-22 19:35:16,669: INFO/MainProcess] mingle: searching for neighbors
[2021-11-22 19:35:16,677: WARNING/MainProcess] No hostname was supplied. Reverting to default 'localhost'
[2021-11-22 19:35:17,745: INFO/MainProcess] mingle: all alone
[2021-11-22 19:35:17,770: INFO/MainProcess] celery@hobo.agent.carbon-x1 ready.
```

```
worker: Warm shutdown (MainProcess)
[2021-11-22 20:48:10,488: WARNING/MainProcess] No hostname was supplied. Reverting to default 'localhost'
[2021-11-22 20:48:10,506: WARNING/MainProcess] /home/pcros/envs/publik-env-py3/lib/python3.9/site-packages/cel
ery/app/utils.py:204: CDeprecationWarning:
The 'CELERY_ACCEPT_CONTENT' setting is deprecated and scheduled for removal in
version 6.0.0. Use the accept_content instead
```

```
deprecated.warn(description=f'The {setting!r} setting',
```

```
[2021-11-22 20:48:10,506: WARNING/MainProcess] /home/pcros/envs/publik-env-py3/lib/python3.9/site-packages/celery/app/utils.py:204: CDeprecationWarning:
  The 'CELERY_TASK_SERIALIZER' setting is deprecated and scheduled for removal in
  version 6.0.0. Use the task_serializer instead

  deprecated.warn(description=f'The {setting!r} setting',

[2021-11-22 20:48:10,506: WARNING/MainProcess] /home/pcros/envs/publik-env-py3/lib/python3.9/site-packages/celery/app/utils.py:204: CDeprecationWarning:
  The 'CELERY_QUEUES' setting is deprecated and scheduled for removal in
  version 6.0.0. Use the task_queues instead

  deprecated.warn(description=f'The {setting!r} setting',

[2021-11-22 20:48:10,506: WARNING/MainProcess] /home/pcros/envs/publik-env-py3/lib/python3.9/site-packages/celery/app/utils.py:204: CDeprecationWarning:
  The 'CELERY_RESULT_SERIALIZER' setting is deprecated and scheduled for removal in
  version 6.0.0. Use the result_serializer instead

  deprecated.warn(description=f'The {setting!r} setting',

[2021-11-22 20:48:10,507: WARNING/MainProcess] Please run `celery upgrade settings path/to/settings.py` to avoid these warnings and to allow a smoother upgrade to Celery 6.0.
[2021-11-22 20:48:10,605: INFO/MainProcess] Connected to amqp://guest:**@127.0.0.1:5672//
[2021-11-22 20:48:10,646: INFO/MainProcess] mingle: searching for neighbors
[2021-11-22 20:48:10,654: WARNING/MainProcess] No hostname was supplied. Reverting to default 'localhost'
[2021-11-22 20:48:11,721: INFO/MainProcess] mingle: all alone
[2021-11-22 20:48:11,736: INFO/MainProcess] celery@hobo.agent.carbon-xl ready.

worker: Warm shutdown (MainProcess)
[2021-11-22 20:58:32,996: WARNING/MainProcess] No hostname was supplied. Reverting to default 'localhost'
[2021-11-22 20:58:33,003: WARNING/MainProcess] /home/pcros/envs/publik-env-py3/lib/python3.9/site-packages/celery/app/utils.py:204: CDeprecationWarning:
  The 'CELERY_RESULT_SERIALIZER' setting is deprecated and scheduled for removal in
  version 6.0.0. Use the result_serializer instead

  deprecated.warn(description=f'The {setting!r} setting',

[2021-11-22 20:58:33,003: WARNING/MainProcess] /home/pcros/envs/publik-env-py3/lib/python3.9/site-packages/celery/app/utils.py:204: CDeprecationWarning:
  The 'CELERY_QUEUES' setting is deprecated and scheduled for removal in
  version 6.0.0. Use the task_queues instead

  deprecated.warn(description=f'The {setting!r} setting',

[2021-11-22 20:58:33,003: WARNING/MainProcess] /home/pcros/envs/publik-env-py3/lib/python3.9/site-packages/celery/app/utils.py:204: CDeprecationWarning:
  The 'CELERY_TASK_SERIALIZER' setting is deprecated and scheduled for removal in
  version 6.0.0. Use the task_serializer instead

  deprecated.warn(description=f'The {setting!r} setting',

[2021-11-22 20:58:33,003: WARNING/MainProcess] /home/pcros/envs/publik-env-py3/lib/python3.9/site-packages/celery/app/utils.py:204: CDeprecationWarning:
  The 'CELERY_ACCEPT_CONTENT' setting is deprecated and scheduled for removal in
  version 6.0.0. Use the accept_content instead

  deprecated.warn(description=f'The {setting!r} setting',

[2021-11-22 20:58:33,003: WARNING/MainProcess] Please run `celery upgrade settings path/to/settings.py` to avoid these warnings and to allow a smoother upgrade to Celery 6.0.
[2021-11-22 20:58:33,075: INFO/MainProcess] Connected to amqp://guest:**@127.0.0.1:5672//
[2021-11-22 20:58:33,120: INFO/MainProcess] mingle: searching for neighbors
[2021-11-22 20:58:33,128: WARNING/MainProcess] No hostname was supplied. Reverting to default 'localhost'
[2021-11-22 20:58:34,190: INFO/MainProcess] mingle: all alone
[2021-11-22 20:58:34,209: INFO/MainProcess] celery@hobo.agent.carbon-xl ready.

worker: Warm shutdown (MainProcess)
[2021-11-23 06:01:06,252: WARNING/MainProcess] No hostname was supplied. Reverting to default 'localhost'
[2021-11-23 06:01:06,287: WARNING/MainProcess] /home/pcros/envs/publik-env-py3/lib/python3.9/site-packages/celery/app/utils.py:204: CDeprecationWarning:
  The 'CELERY_RESULT_SERIALIZER' setting is deprecated and scheduled for removal in
  version 6.0.0. Use the result_serializer instead

  deprecated.warn(description=f'The {setting!r} setting',
```

```
[2021-11-23 06:01:06,287: WARNING/MainProcess] /home/pcros/envs/publik-env-py3/lib/python3.9/site-packages/celery/app/utils.py:204: CDeprecationWarning:
  The 'CELERY_QUEUES' setting is deprecated and scheduled for removal in
  version 6.0.0. Use the task_queues instead

  deprecated.warn(description=f'The {setting!r} setting',

[2021-11-23 06:01:06,287: WARNING/MainProcess] /home/pcros/envs/publik-env-py3/lib/python3.9/site-packages/celery/app/utils.py:204: CDeprecationWarning:
  The 'CELERY_TASK_SERIALIZER' setting is deprecated and scheduled for removal in
  version 6.0.0. Use the task_serializer instead

  deprecated.warn(description=f'The {setting!r} setting',

[2021-11-23 06:01:06,287: WARNING/MainProcess] /home/pcros/envs/publik-env-py3/lib/python3.9/site-packages/celery/app/utils.py:204: CDeprecationWarning:
  The 'CELERY_ACCEPT_CONTENT' setting is deprecated and scheduled for removal in
  version 6.0.0. Use the accept_content instead

  deprecated.warn(description=f'The {setting!r} setting',

[2021-11-23 06:01:06,287: WARNING/MainProcess] Please run `celery upgrade settings path/to/settings.py` to avoid these warnings and to allow a smoother upgrade to Celery 6.0.
[2021-11-23 06:01:06,387: INFO/MainProcess] Connected to amqp://guest:**@127.0.0.1:5672//
[2021-11-23 06:01:06,429: INFO/MainProcess] mingle: searching for neighbors
[2021-11-23 06:01:06,436: WARNING/MainProcess] No hostname was supplied. Reverting to default 'localhost'
[2021-11-23 06:01:07,499: INFO/MainProcess] mingle: all alone
[2021-11-23 06:01:07,540: INFO/MainProcess] celery@hobo.agent.carbon-xl ready.

worker: Warm shutdown (MainProcess)
[2021-11-23 18:03:50,576: WARNING/MainProcess] No hostname was supplied. Reverting to default 'localhost'
[2021-11-23 18:03:50,601: WARNING/MainProcess] /home/pcros/envs/publik-env-py3/lib/python3.9/site-packages/celery/app/utils.py:204: CDeprecationWarning:
  The 'CELERY_QUEUES' setting is deprecated and scheduled for removal in
  version 6.0.0. Use the task_queues instead

  deprecated.warn(description=f'The {setting!r} setting',

[2021-11-23 18:03:50,601: WARNING/MainProcess] /home/pcros/envs/publik-env-py3/lib/python3.9/site-packages/celery/app/utils.py:204: CDeprecationWarning:
  The 'CELERY_ACCEPT_CONTENT' setting is deprecated and scheduled for removal in
  version 6.0.0. Use the accept_content instead

  deprecated.warn(description=f'The {setting!r} setting',

[2021-11-23 18:03:50,601: WARNING/MainProcess] /home/pcros/envs/publik-env-py3/lib/python3.9/site-packages/celery/app/utils.py:204: CDeprecationWarning:
  The 'CELERY_TASK_SERIALIZER' setting is deprecated and scheduled for removal in
  version 6.0.0. Use the task_serializer instead

  deprecated.warn(description=f'The {setting!r} setting',

[2021-11-23 18:03:50,601: WARNING/MainProcess] /home/pcros/envs/publik-env-py3/lib/python3.9/site-packages/celery/app/utils.py:204: CDeprecationWarning:
  The 'CELERY_RESULT_SERIALIZER' setting is deprecated and scheduled for removal in
  version 6.0.0. Use the result_serializer instead

  deprecated.warn(description=f'The {setting!r} setting',

[2021-11-23 18:03:50,602: WARNING/MainProcess] Please run `celery upgrade settings path/to/settings.py` to avoid these warnings and to allow a smoother upgrade to Celery 6.0.
[2021-11-23 18:03:50,687: INFO/MainProcess] Connected to amqp://guest:**@127.0.0.1:5672//
[2021-11-23 18:03:50,725: INFO/MainProcess] mingle: searching for neighbors
[2021-11-23 18:03:50,733: WARNING/MainProcess] No hostname was supplied. Reverting to default 'localhost'
[2021-11-23 18:03:51,779: INFO/MainProcess] mingle: all alone
[2021-11-23 18:03:51,813: INFO/MainProcess] celery@hobo.agent.carbon-xl ready.
```

#3 - 23 novembre 2021 18:30 - Frédéric Péters

"AssertionError: database connection isn't set to UTC"],

c'est ça la vraie erreur; ça a déjà été traité et visiblement donc pas assez. (c'est une version de psycopg2 trop élevée par rapport à django).

#4 - 23 novembre 2021 18:35 - Emmanuel Cazenave

Ah ça progresse.

T'es bien sur la dernière version de publik-devinst ? Tu tombes dans un bug qui a été corrigé en principe [#55980](#).

(tu peux laisser tomber les copié/coller de `/var/log/hobo-agent/stderr.log` pour l'instant).

#5 - 23 novembre 2021 18:37 - Emmanuel Cazenave

En fait je veux bien le résultat de ces deux commandes :

```
apt-cache policy python3-psycopg2
/home/pcros/envs/publik-env-py3/bin/pip show psycopg2
```

#6 - 23 novembre 2021 18:43 - Pierre Cros

```
apt-cache policy python3-psycopg2
```

```
python3-psycopg2:
  Installé : 2.9.1-1+b1
  Candidat : 2.9.1-1+b1
  Table de version :
  *** 2.9.1-1+b1 500
      500 http://deb.debian.org/debian sid/main amd64 Packages
      100 /var/lib/dpkg/status
```

```
/home/pcros/envs/publik-env-py3/bin/pip show psycopg2
```

```
Name: psycopg2
Version: 2.9.1
Summary: psycopg2 - Python-PostgreSQL Database Adapter
Home-page: https://psycopg.org/
Author: Federico Di Gregorio
Author-email: fog@initd.org
License: LGPL with exceptions
Location: /home/pcros/envs/publik-env-py3/lib/python3.9/site-packages
Requires:
Required-by: django-tenant-schemas, bijoe, wcs-olap
```

#7 - 23 novembre 2021 18:44 - Pierre Cros

et j'ai refait le git clone juste avant pour être sûr que j'avais bien la dernière version.

#8 - 23 novembre 2021 20:47 - Frédéric Péters

Ça clasherait parce que ce commit prend la version système en espérant qu'elle soit < 2.9

```
use python3-psycopg2 in the virtualenv (#55980)
```

alors que

```
python3-psycopg2:
  Installé : 2.9.1-1+b1
```

Par contre c'est la même version dispo dans testing donc ça devrait merder chez tout le monde pareil ./

Perso je me suis gelé sur la version 2.8.6-2 de bullseye, en perspective bourrine je suggérerais l'installation de https://deb.debian.org/debian/pool/main/p/psycopg2/python3-psycopg2_2.8.6-2_amd64.deb mais il y a sans doute à d'abord attendre une meilleure suggestion de Manu (vu que je ne suis pas sur publik-devinst ma situation est différente).

#9 - 24 novembre 2021 10:24 - Emmanuel Cazenave

Frédéric Péters a écrit :

```
par contre c'est la même version dispo dans testing donc ça devrait merder chez tout le monde pareil ./
```

Je suis en stable où tout se passe bien, jenkins devrait voir ce problème sur testing mais ne voit rien, les autres devs en testing/unstable ont pas du refaire de run de publik-devinst récemment.

```
Perso je me suis gelé sur la version 2.8.6-2 de bullseye, en perspective bourrine je suggérerais l'installation de
```

Pas mieux, ensuite relancer `ansible-playbook -K -i inventory.yml install.yml` qui devrait rendre dispo cette nouvelle version de `psycopg2` dans le `virtualenv`, puis `ansible-playbook -i inventory.yml deploy-tenants.yml`.

#10 - 24 novembre 2021 10:35 - Frédéric Péters

Je suis en stable où tout se passe bien

Parce qu'encore 2.8.6, ok.

jenkins devrait voir ce problème sur testing mais ne voit rien

En fait jenkins ne va pas jusqu'à l'exécution du cook, j'ai l'impression, ça ne lance pas `ansible-playbook -i inventory.yml deploy-tenants.yml`. (je viens de créer [#58927](#)).

~~

Sur ces histoires `psycopg2`, j'aurais comme suggestion alternative, plutôt que se battre à essayer d'en chopper la bonne version, qu'il soit intégré un moment de patch de `django` dans l'installation. (je ne sais évidemment pas à quel point c'est possible/facile avec `ansible`).

```
--- a/django/db/backends/postgresql/utils.py
+++ b/django/db/backends/postgresql/utils.py
@@ -2,6 +2,6 @@ from django.utils.timezone import utc

 def utc_tzinfo_factory(offset):
-     if offset != 0:
+     if offset:
         raise AssertionError("database connection isn't set to UTC")
     return utc
```

#11 - 24 novembre 2021 11:52 - Emmanuel Cazenave

- Lié à [Development #58934](#): Assurer une compat avec `psycopg2 > 2.8.6` ajouté

#12 - 24 novembre 2021 12:29 - Pierre Cros

- Statut changé de *Nouveau* à *Fermé*

En attendant [#58934](#), j'ai fait ce que `Manu` proposait et ça fonctionne, merci tout le monde.