

## Authentic 2 - Development #6922

### Change default logging configuration

09 avril 2015 11:36 - Benjamin Dauvergne

<b>Statut:</b>	Fermé	<b>Début:</b>	09 avril 2015
<b>Priorité:</b>	Normal	<b>Echéance:</b>	
<b>Assigné à:</b>	Benjamin Dauvergne	<b>% réalisé:</b>	100%
<b>Catégorie:</b>		<b>Temps estimé:</b>	0:00 heure
<b>Version cible:</b>	2.1.14	<b>Planning:</b>	
<b>Patch proposé:</b>	Oui		
<b>Description</b>			
<p>We only configure the root logger and 'django.db'. If DEBUG is True we see the root logger to DEBUG. We do not use Django default logging configuration by bypassing it using LOGGING_CONFIG = None<sup>[1]</sup>. Add a new filter to provide, username, ip and a request ID to the formatter. Add a new setting DEBUG_DB for activating logging of SQL queries.</p> <p><sup>[1]</sup> <a href="https://www.caktusgroup.com/blog/2015/01/27/Django-Logging-Configuration-logging_config-default-settings-logger/">https://www.caktusgroup.com/blog/2015/01/27/Django-Logging-Configuration-logging_config-default-settings-logger/</a></p>			

#### Révisions associées

##### Révision e35acb09 - 09 avril 2015 15:57 - Benjamin Dauvergne

Add a XForwardedForMiddleware middleware (#6922)

It allows authentic to automatically get the real ip when behind Gunicorn+nginx.

##### Révision d4aa335a - 09 avril 2015 15:57 - Benjamin Dauvergne

Set a request id on all requests (#6922)

The request id is extracted from an header set using the REQUEST\_ID\_HEADER setting or generated using the default Python random number generator.

##### Révision cae8db3f - 09 avril 2015 17:33 - Benjamin Dauvergne

Change default logging configuration (fixes #6922)

We only configure the root logger and 'django.db'. If DEBUG is True we see the root logger to DEBUG. We do not use Django default logging configuration by bypassing it using LOGGING\_CONFIG = None<sup>[1]</sup>.

- django\_select2 logger is set to warning as the INFO level emit uninteresting messages
- django.db logger is set to INFO, to prevent getting SQL queries when DEBUG is True. To get the SQL queries set DEBUG\_DB to True in your settings.
- Set a default logging configuration for the multitenant packaging
- Add a RequestContextFilter logging filter to provide, username, ip and a request ID to the formatter.
- Use the new filter in default, debian and debian-multitenant settings.
- Add a new setting DEBUG\_DB for activating logging of SQL queries.

[1]: [https://www.caktusgroup.com/blog/2015/01/27/Django-Logging-Configuration-logging\\_config-default-settings-logger/](https://www.caktusgroup.com/blog/2015/01/27/Django-Logging-Configuration-logging_config-default-settings-logger/)

##### Révision 4f3359f0 - 17 avril 2015 14:02 - Benjamin Dauvergne

Add a XForwardedForMiddleware middleware (#6922)

It allows authentic to automatically get the real ip when behind Gunicorn+nginx.

##### Révision 59f536e9 - 17 avril 2015 14:02 - Benjamin Dauvergne

Set a request id on all requests (#6922)

The request id is extracted from an header set using the REQUEST\_ID\_HEADER setting or generated using the default Python random

number generator.

## Révision c8e10def - 17 avril 2015 14:02 - Benjamin Dauvergne

Change default logging configuration (fixes #6922)

We only configure the root logger and 'django.db'. If DEBUG is True we see the root logger to DEBUG. We do not use Django default logging configuration by bypassing it using LOGGING\_CONFIG = None<sup>1</sup>.

- django\_select2 logger is set to warning as the INFO level emit uninteresting messages
- django.db logger is set to INFO, to prevent getting SQL queries when DEBUG is True. To get the SQL queries set DEBUG\_DB to True in your settings.
- Set a default logging configuration for the multitenant packaging
- Add a RequestContextFilter logging filter to provide, username, ip and a request ID to the formatter.
- Use the new filter in default, debian and debian-multitenant settings.
- Add a new setting DEBUG\_DB for activating logging of SQL queries.

[1]: [https://www.caktusgroup.com/blog/2015/01/27/Django-Logging-Configuration-logging\\_config-default-settings-logger/](https://www.caktusgroup.com/blog/2015/01/27/Django-Logging-Configuration-logging_config-default-settings-logger/)

## Historique

---

### #1 - 09 avril 2015 11:38 - Benjamin Dauvergne

- Description mis à jour

### #2 - 09 avril 2015 11:53 - Benjamin Dauvergne

- Description mis à jour

### #3 - 09 avril 2015 12:47 - Benjamin Dauvergne

This patch set will also add a new middleware only used by the debian package, to get the real ip from the X-Forwarded-For header as gunicorn has deprecated this behaviour in gunicorn 18.

### #4 - 09 avril 2015 15:58 - Benjamin Dauvergne

- Fichier 0001-Add-a-XForwardedForMiddleware-middleware-6922.patch ajouté
- Fichier 0002-Set-a-request-id-on-all-requests-6922.patch ajouté
- Fichier 0003-Change-default-logging-configuration-fixes-6922.patch ajouté
- Patch proposé changé de Non à Oui

### #5 - 09 avril 2015 17:24 - Benjamin Dauvergne

- Fichier 0003-Change-default-logging-configuration-fixes-6922.patch supprimé

### #6 - 09 avril 2015 17:24 - Benjamin Dauvergne

- Fichier 0003-Change-default-logging-configuration-fixes-6922.patch ajouté

Update to patch 3.

### #7 - 09 avril 2015 17:29 - Thomas Noël

Ack.

### #8 - 09 avril 2015 17:34 - Benjamin Dauvergne

- Statut changé de Nouveau à Résolu (à déployer)
- % réalisé changé de 0 à 100

Appliqué par commit [cae8db3fc1e3c6e5d7bd271862f9f8ee50ec3b4b](https://github.com/commit/cae8db3fc1e3c6e5d7bd271862f9f8ee50ec3b4b).

### #9 - 09 avril 2015 17:34 - Benjamin Dauvergne

- Assigné à mis à Benjamin Dauvergne
- Version cible mis à 2.2.0

**#10 - 17 avril 2015 14:40 - Benjamin Dauvergne**

Appliqué par commit [c8e10def0696546f361dfd1a8cdcc051273b55bf](#).

**#11 - 17 avril 2015 14:52 - Benjamin Dauvergne**

- Version cible changé de 2.2.0 à 2.1.14

**#12 - 23 avril 2015 11:08 - Benjamin Dauvergne**

- Statut changé de Résolu (à déployer) à Fermé

**Fichiers**

---

0001-Add-a-XForwardedForMiddleware-middleware-6922.patch	3,2 ko	09 avril 2015	Benjamin Dauvergne
0002-Set-a-request-id-on-all-requests-6922.patch	3,26 ko	09 avril 2015	Benjamin Dauvergne
0003-Change-default-logging-configuration-fixes-6922.patch	9,93 ko	09 avril 2015	Benjamin Dauvergne