


```
Nov 28 15:38:48 gavotte-pp authentic2[2542317]: 176.159.32.89 - r:7F0F21895F70 DEBUG 2022-11-28 15
:38:48 (xml.c/:1455) lasso_node_impl_init_from_xml <AuthnRequest>
Nov 28 15:38:48 gavotte-pp authentic2[2542317]: 176.159.32.89 - r:7F0F21895F70 DEBUG 2022-11-28 15
:38:48 (xml.c/:1424) Matching node Issuer vs snippet Issuer: SUCCESS namespace URIs match
Nov 28 15:38:48 gavotte-pp authentic2[2542317]: 176.159.32.89 - r:7F0F21895F70 DEBUG 2022-11-28 15
:38:48 (xml.c/:2475) Processing node 'Issuer' with type 'LassoSaml2NameID'
Nov 28 15:38:48 gavotte-pp authentic2[2542317]: 176.159.32.89 - r:7F0F21895F70 DEBUG 2022-11-28 15
:38:48 (xml.c/:1455) lasso_node_impl_init_from_xml <Issuer>
Nov 28 15:38:48 gavotte-pp authentic2[2542317]: 176.159.32.89 - r:7F0F21895F70 DEBUG 2022-11-28 15
:38:48 (xml.c/:1865) lasso_node_impl_init_from_xml </Issuer> rc=0
Nov 28 15:38:48 gavotte-pp authentic2[2542317]: 176.159.32.89 - r:7F0F21895F70 DEBUG 2022-11-28 15
:38:48 (xml.c/:1424) Matching node Signature vs snippet Signature: SUCCESS namespace URIs match
Nov 28 15:38:48 gavotte-pp authentic2[2542317]: 176.159.32.89 - r:7F0F21895F70 DEBUG 2022-11-28 15
:38:48 (xml.c/:1414) Matching node NameIDPolicy vs snippet Extensions: FAILURE names don't match
Nov 28 15:38:48 gavotte-pp authentic2[2542317]: 176.159.32.89 - r:7F0F21895F70 DEBUG 2022-11-28 15
:38:48 (xml.c/:1414) Matching node NameIDPolicy vs snippet PrivateKeyFile: FAILURE names don't mat
ch
Nov 28 15:38:48 gavotte-pp authentic2[2542317]: 176.159.32.89 - r:7F0F21895F70 DEBUG 2022-11-28 15
:38:48 (xml.c/:1414) Matching node NameIDPolicy vs snippet CertificateFile: FAILURE names don't ma
tch
Nov 28 15:38:48 gavotte-pp authentic2[2542317]: 176.159.32.89 - r:7F0F21895F70 DEBUG 2022-11-28 15
:38:48 (xml.c/:1414) Matching node NameIDPolicy vs snippet Subject: FAILURE names don't match
Nov 28 15:38:48 gavotte-pp authentic2[2542317]: 176.159.32.89 - r:7F0F21895F70 DEBUG 2022-11-28 15
:38:48 (xml.c/:1419) Matching node NameIDPolicy vs snippet NameIDPolicy: SUCCESS namespace prefixe
s match
Nov 28 15:38:48 gavotte-pp authentic2[2542317]: 176.159.32.89 - r:7F0F21895F70 DEBUG 2022-11-28 15
:38:48 (xml.c/:2475) Processing node 'NameIDPolicy' with type '(null)'
Nov 28 15:38:48 gavotte-pp authentic2[2542317]: 176.159.32.89 - r:7F0F21895F70 DEBUG 2022-11-28 15
:38:48 (xml.c/:2475) Processing node 'NameIDPolicy' with type 'LassoSaml2NameIDPolicy'
Nov 28 15:38:48 gavotte-pp authentic2[2542317]: 176.159.32.89 - r:7F0F21895F70 DEBUG 2022-11-28 15
:38:48 (xml.c/:1455) lasso_node_impl_init_from_xml <NameIDPolicy>
Nov 28 15:38:48 gavotte-pp authentic2[2542317]: 176.159.32.89 - r:7F0F21895F70 DEBUG 2022-11-28 15
:38:48 (xml.c/:1865) lasso_node_impl_init_from_xml </NameIDPolicy> rc=0
Nov 28 15:38:48 gavotte-pp authentic2[2542317]: 176.159.32.89 - r:7F0F21895F70 DEBUG 2022-11-28 15
:38:48 (xml.c/:1865) lasso_node_impl_init_from_xml </AuthnRequest> rc=0
Nov 28 15:38:48 gavotte-pp authentic2[2542317]: 176.159.32.89 - r:7F0F21895F70 ERROR processAuthnR
equestMsg not successful#012Traceback (most recent call last):#012 File "/usr/lib/python3/dist-pa
ckages/authentic2/idp/saml/saml2_endpoints.py", line 533, in sso#012 login.processAuthnRequestM
sg(force_str(message))#012 File "/usr/lib/python3/dist-packages/lasso.py", line 2284, in processA
uthnRequestMsg#012 Error.raise_on_rc(rc)#012 File "/usr/lib/python3/dist-packages/lasso.py", l
ine 62, in raise_on_rc#012 raise exception#012lasso.ServerProviderNotFoundError: <lasso.ServerP
roviderNotFoundError(-201): The identifier of a provider is unknown to #LassoServer. To register a
provider in a #LassoServer object, you must use the methods lasso_server_add_provider() or lasso_
server_add_provider_from_buffer().>
Nov 28 15:38:48 gavotte-pp authentic2[2542317]: 176.159.32.89 - r:7F0F21895F70 DEBUG {'issuer': 'h
ttps://www.okta.com/saml2/service-provider/spzdsltbemqocjrpwtwz', 'forceAuthn': False, 'isPassive'
: False, 'protocolBinding': None, 'nameIdPolicy': {'allowCreate': False, 'format': 'urn:oasis:name
s:tc:SAML:2.0:nameid-format:transient', 'spNameQualifier': None}}
Nov 28 15:38:48 gavotte-pp authentic2[2542317]: 176.159.32.89 - r:7F0F21895F70 DEBUG loading provi
der https://www.okta.com/saml2/service-provider/spzdsltbemqocjrpwtwz
Nov 28 15:38:48 gavotte-pp authentic2[2542317]: 176.159.32.89 - r:7F0F21895F70 DEBUG loaded provid
er https://www.okta.com/saml2/service-provider/spzdsltbemqocjrpwtwz
Nov 28 15:38:48 gavotte-pp authentic2[2542317]: 176.159.32.89 - r:7F0F21895F70 DEBUG provider http
s://www.okta.com/saml2/service-provider/spzdsltbemqocjrpwtwz loaded with success
Nov 28 15:38:48 gavotte-pp authentic2[2542317]: 176.159.32.89 - r:7F0F21895F70 DEBUG 2022-11-28 15
:38:48 (xml.c/:1455) lasso_node_impl_init_from_xml <AuthnRequest>
Nov 28 15:38:48 gavotte-pp authentic2[2542317]: 176.159.32.89 - r:7F0F21895F70 DEBUG 2022-11-28 15
:38:48 (xml.c/:1424) Matching node Issuer vs snippet Issuer: SUCCESS namespace URIs match
Nov 28 15:38:48 gavotte-pp authentic2[2542317]: 176.159.32.89 - r:7F0F21895F70 DEBUG 2022-11-28 15
:38:48 (xml.c/:2475) Processing node 'Issuer' with type 'LassoSaml2NameID'
Nov 28 15:38:48 gavotte-pp authentic2[2542317]: 176.159.32.89 - r:7F0F21895F70 DEBUG 2022-11-28 15
:38:48 (xml.c/:1455) lasso_node_impl_init_from_xml <Issuer>
Nov 28 15:38:48 gavotte-pp authentic2[2542317]: 176.159.32.89 - r:7F0F21895F70 DEBUG 2022-11-28 15
:38:48 (xml.c/:1865) lasso_node_impl_init_from_xml </Issuer> rc=0
Nov 28 15:38:48 gavotte-pp authentic2[2542317]: 176.159.32.89 - r:7F0F21895F70 DEBUG 2022-11-28 15
:38:48 (xml.c/:1424) Matching node Signature vs snippet Signature: SUCCESS namespace URIs match
Nov 28 15:38:48 gavotte-pp authentic2[2542317]: 176.159.32.89 - r:7F0F21895F70 DEBUG 2022-11-28 15
```

```

:38:48 (xml.c/:1414) Matching node NameIDPolicy vs snippet Extensions: FAILURE names don't match
Nov 28 15:38:48 gavotte-pp authentic2[2542317]: 176.159.32.89 - r:7F0F21895F70 DEBUG 2022-11-28 15
:38:48 (xml.c/:1414) Matching node NameIDPolicy vs snippet PrivateKeyFile: FAILURE names don't mat
ch
Nov 28 15:38:48 gavotte-pp authentic2[2542317]: 176.159.32.89 - r:7F0F21895F70 DEBUG 2022-11-28 15
:38:48 (xml.c/:1414) Matching node NameIDPolicy vs snippet CertificateFile: FAILURE names don't ma
tch
Nov 28 15:38:48 gavotte-pp authentic2[2542317]: 176.159.32.89 - r:7F0F21895F70 DEBUG 2022-11-28 15
:38:48 (xml.c/:1414) Matching node NameIDPolicy vs snippet Subject: FAILURE names don't match
Nov 28 15:38:48 gavotte-pp authentic2[2542317]: 176.159.32.89 - r:7F0F21895F70 DEBUG 2022-11-28 15
:38:48 (xml.c/:1419) Matching node NameIDPolicy vs snippet NameIDPolicy: SUCCESS namespace prefixe
s match
Nov 28 15:38:48 gavotte-pp authentic2[2542317]: 176.159.32.89 - r:7F0F21895F70 DEBUG 2022-11-28 15
:38:48 (xml.c/:2475) Processing node 'NameIDPolicy' with type '(null)'
Nov 28 15:38:48 gavotte-pp authentic2[2542317]: 176.159.32.89 - r:7F0F21895F70 DEBUG 2022-11-28 15
:38:48 (xml.c/:2475) Processing node 'NameIDPolicy' with type 'LassoSamlp2NameIDPolicy'
Nov 28 15:38:48 gavotte-pp authentic2[2542317]: 176.159.32.89 - r:7F0F21895F70 DEBUG 2022-11-28 15
:38:48 (xml.c/:1455) lasso_node_impl_init_from_xml <NameIDPolicy>
Nov 28 15:38:48 gavotte-pp authentic2[2542317]: 176.159.32.89 - r:7F0F21895F70 DEBUG 2022-11-28 15
:38:48 (xml.c/:1865) lasso_node_impl_init_from_xml </NameIDPolicy> rc=0
Nov 28 15:38:48 gavotte-pp authentic2[2542317]: 176.159.32.89 - r:7F0F21895F70 DEBUG 2022-11-28 15
:38:48 (xml.c/:1865) lasso_node_impl_init_from_xml </AuthnRequest> rc=0
Nov 28 15:38:48 gavotte-pp authentic2[2542317]: 176.159.32.89 - r:7F0F21895F70 DEBUG nameID policy
is <samlp:NameIDPolicy xmlns:samlp="urn:oasis:names:tc:SAML:2.0:protocol" Format="urn:oasis:names
:tc:SAML:2.0:nameid-format:transient" AllowCreate="false"/>
Nov 28 15:38:48 gavotte-pp authentic2[2542317]: 176.159.32.89 - r:7F0F21895F70 DEBUG nameID format
transient
Nov 28 15:38:48 gavotte-pp authentic2[2542317]: 176.159.32.89 - r:7F0F21895F70 DEBUG default nameI
D format none
Nov 28 15:38:48 gavotte-pp authentic2[2542317]: 176.159.32.89 - r:7F0F21895F70 DEBUG nameID format
accepted ['none', 'transient', 'email', 'uuid']
Nov 28 15:38:48 gavotte-pp authentic2[2542317]: 176.159.32.89 - r:7F0F21895F70 DEBUG NameIDFormat
is transient
Nov 28 15:38:48 gavotte-pp authentic2[2542317]: 176.159.32.89 - r:7F0F21895F70 DEBUG nonce is id87
094499887952281812778720
Nov 28 15:38:48 gavotte-pp authentic2[2542317]: 176.159.32.89 - r:7F0F21895F70 DEBUG login require
d
Nov 28 15:38:48 gavotte-pp authentic2[2542317]: 176.159.32.89 - r:7F0F21895F70 DEBUG redirect to l
ogin page with next url /idp/saml2/continue?nonce=id87094499887952281812778720

```

- Suite à cela, l'utilisateur se retrouve sur le formulaire de connexion et il est déconnecté du point de vue d'Authentic (confirmable en ouvrant Authentic dans un autre onglet).
- Si l'utilisateur se connecte en saisissant ses identifiants, il sera alors bien connecté et redirigé vers le SP qui accepte l'authentification alors sans souci.

L'erreur retournée par Lasso est donc :

```

lasso.ServerProviderNotFoundError(-201): The identifier of a provider is unknown to #LassoServer.
To register a provider in a #LassoServer object, you must use the methods lasso_server_add_provide
r() or lasso_server_add_provider_from_buffer().

```

Mon problème ici est double :

- je ne comprends pas ce qui ne plaît pas au premier abord dans la requête d'Authentification
- l'utilisateur se retrouve déconnecté et forcé de se connecter à nouveau (même si l'authentification fonctionne ensuite)

Je précise que j'avais rencontré le problème avec la version *4.43-1~eob110+1* et qu'après une mise à jour en *4.49-1~eob110+1*, j'ai toujours le problème. Côté *lasso*, je suis sur la version *2.8.0.1.g7aa6-1~eob110+1* du paquet *liblasso3* et c'est la dernière disponible actuellement.

Demandes liées:

Lié à Authentic 2 - Development #71880: Poser une configuration minimale corr...	Fermé	30 novembre 2022
Lié à Publik - Development #72028: mettre à jour notre paquet debian python3-...	Fermé	05 décembre 2022

Historique

#1 - 28 novembre 2022 16:16 - Benjamin Dauvergne

- Assigné à mis à Benjamin Renard

C'est normal ça n'est pas une erreur (d'ailleurs le log est en debug dans le code, à raison), on traite une première fois la requête sans rien charger, ça lève une erreur, on lit le nom du SP, on le charge et on retraite.

Il y a deux raisons pour lancer une authentification, soit on est connecté est le flag forceAuthn est posé (ce n'est pas le cas ici), soit on n'est plus connecté.

Ici il semblerait donc que le cookie de session soit perdu ou invisible au moment du traitement de la requête vraisemblablement pour une histoire de politique SameOrigin, peux-tu vérifier que le cookie de session est bien en SameOrigin=None ? (et que dans le debugger du navigateur il est bien envoyé lors du traitement de l'AuthnRequest).

#2 - 29 novembre 2022 13:32 - Benjamin Renard

Benjamin Dauvergne a écrit :

Ici il semblerait donc que le cookie de session soit perdu ou invisible au moment du traitement de la requête vraisemblablement pour une histoire de politique SameOrigin, peux-tu vérifier que le cookie de session est bien en SameOrigin=None ? (et que dans le debugger du navigateur il est bien envoyé lors du traitement de l'AuthnRequest).

Le cookie est en *SameSite=Lax* :

```
Set-Cookie: sessionId=f2nz1j21jy7uid84dn7srav6obc6jnu6; HttpOnly; Path=/; SameSite=Lax
```

Et effectivement, lors de la requête SSO, le cookie n'est pas envoyé.

Comment contrôler les paramètres du cookie de session d'Authentic ? C'est possible ou c'est hard-codé ? Par ailleurs, il faudra faire attention à ajouter *Secure* si on passe en *SameSite=none* (cf.

https://developer.mozilla.org/fr/docs/Web/HTTP/Headers/Set-Cookie/SameSite#samesitenone_requiert_secure).

#3 - 29 novembre 2022 14:19 - Benjamin Dauvergne

Dans le cadre de Publik on pose toujours `SESSION_COOKIE_SECURE=True` et on a un middleware qui corrige le `SameSite` à `None` dans tous les cas, comme on utilise plus le paquet standalone, il y a certainement un souci ici.

À partir de Django 3.1 on peut poser directement `SESSION_COOKIE_SAMESITE = 'None'` sans ça il faudra l'équivalent de notre middleware (https://git.entrouvert.org/hobo.git/tree/hobo/middleware/cookies_samesite.py).

#4 - 29 novembre 2022 14:19 - Benjamin Dauvergne

PS: ça doit être une `AuthnRequest` passé en binding POST parce qu'en Lax normalement le cookie est posé sur un redirect.

#5 - 30 novembre 2022 11:19 - Benjamin Renard

Benjamin Dauvergne a écrit :

Dans le cadre de Publik on pose toujours `SESSION_COOKIE_SECURE=True` et on a un middleware qui corrige le `SameSite` à `None` dans tous les cas, comme on utilise plus le paquet standalone, il y a certainement un souci ici.

À partir de Django 3.1 on peut poser directement `SESSION_COOKIE_SAMESITE = 'None'` sans ça il faudra l'équivalent de notre middleware (https://git.entrouvert.org/hobo.git/tree/hobo/middleware/cookies_samesite.py).

Ok pour `SESSION_COOKIE_SECURE`. Pour `SESSION_COOKIE_SAMESITE`, on est sous Buster et donc Django 2.2.28 qui interdit la valeur `None`. J'ai donc tenté le coup du middleware : Je tombe cependant sur un OS, car le cookie de session n'est pas détecté par mon middleware alors que le cookie CSRF l'est bien. Il y aurait-il une particularité pour l'activation de ce middleware afin qu'il soit inséré au bon moment dans la chaîne de traitement ? Je n'ai pas trouvé d'exemple d'activation avec le votre. Personnellement, j'ai simplement ajouté un fichier `/etc/authentic2/settings.d/99-authentic2-cookiefix-middleware.py` qui contient :

```
MIDDLEWARE += ('authentic2_cookiefix_middleware.fix_cookies',)
```

Benjamin Dauvergne a écrit :

PS: ça doit être une `AuthnRequest` passé en binding POST parce qu'en Lax normalement le cookie est posé sur un redirect.

Effectivement, on est en POST avec ces SPs.

#6 - 30 novembre 2022 11:35 - Benjamin Dauvergne

Il faut poser ton middleware au début de la liste, avant le `SessionMiddleware` qui pose le cookie dans la réponse. `MIDDLEWARE = ('...',) + MIDDLEWARE`

#7 - 30 novembre 2022 11:39 - Benjamin Renard

Benjamin Dauvergne a écrit :

Il faut poser ton middleware au début de la liste, avant le SessionMiddleware qui pose le cookie dans la réponse. MIDDLEWARE = ('...') + MIDDLEWARE

Top, ça fonctionne, merci !

#8 - 30 novembre 2022 14:30 - Benjamin Dauvergne

- Lié à Development #71880: Poser une configuration minimale correcte pour les cookies CSRF et de session ajouté

#9 - 30 novembre 2022 14:30 - Benjamin Dauvergne

- Statut changé de Nouveau à Fermé

#10 - 01 décembre 2022 08:47 - Benjamin Dauvergne

Benjamin Renard a écrit :

À partir de Django 3.1 on peut poser directement SESSION_COOKIE_SAMESITE = 'None' sans ça il faudra l'équivalent de notre middleware (https://git.entrouvert.org/hobo.git/tree/hobo/middleware/cookies_samesite.py).

Ok pour SESSION_COOKIE_SECURE. Pour SESSION_COOKIE_SAMESITE, on est sous Buster et donc Django 2.2.28 qui interdit la valeur None.

Si jamais vous aviez le projet de passer en stable, django 3.2 est disponible dans bullseye-backports. C'est ce que je conseillerai de faire, car django 2.x n'est plus maintenu. Coté authentic j'ai ouvert un ticket pour avoir les settings minimaux pour que ça fonctionne à partir de 3.1.

#11 - 05 décembre 2022 10:10 - Benjamin Renard

Benjamin Dauvergne a écrit :

Benjamin Renard a écrit :

À partir de Django 3.1 on peut poser directement SESSION_COOKIE_SAMESITE = 'None' sans ça il faudra l'équivalent de notre middleware (https://git.entrouvert.org/hobo.git/tree/hobo/middleware/cookies_samesite.py).

Ok pour SESSION_COOKIE_SECURE. Pour SESSION_COOKIE_SAMESITE, on est sous Buster et donc Django 2.2.28 qui interdit la valeur None.

Si jamais vous aviez le projet de passer en stable, django 3.2 est disponible dans bullseye-backports. C'est ce que je conseillerai de faire, car django 2.x n'est plus maintenu. Coté authentic j'ai ouvert un ticket pour avoir les settings minimaux pour que ça fonctionne à partir de 3.1.

Je viens de tenter le coup, mais malheureusement, avec django 3.2, Authentic ne démarre plus :

```
Dec 01 15:34:35 gavotte-pp systemd[1]: Starting Authentic 2...
Dec 01 15:34:36 gavotte-pp authentic2-manage[2855064]: Traceback (most recent call last):
Dec 01 15:34:36 gavotte-pp authentic2-manage[2855064]:   File "/usr/lib/authentic2/manage.py", line 20, in <mo
dule>
Dec 01 15:34:36 gavotte-pp authentic2-manage[2855064]:     execute_from_command_line(sys.argv[:1] + argv)
Dec 01 15:34:36 gavotte-pp authentic2-manage[2855064]:   File "/usr/lib/python3/dist-packages/django/core/mana
gement/__init__.py", line 419, in execute_from_command_line
Dec 01 15:34:36 gavotte-pp authentic2-manage[2855064]:     utility.execute()
Dec 01 15:34:36 gavotte-pp authentic2-manage[2855064]:   File "/usr/lib/python3/dist-packages/django/core/mana
gement/__init__.py", line 413, in execute
Dec 01 15:34:36 gavotte-pp authentic2-manage[2855064]:     self.fetch_command(subcommand).run_from_argv(self.a
rgv)
Dec 01 15:34:36 gavotte-pp authentic2-manage[2855064]:   File "/usr/lib/python3/dist-packages/django/core/mana
gement/base.py", line 354, in run_from_argv
Dec 01 15:34:36 gavotte-pp authentic2-manage[2855064]:     self.execute(*args, **cmd_options)
Dec 01 15:34:36 gavotte-pp authentic2-manage[2855064]:   File "/usr/lib/python3/dist-packages/django/core/mana
gement/base.py", line 398, in execute
Dec 01 15:34:36 gavotte-pp authentic2-manage[2855064]:     output = self.handle(*args, **options)
Dec 01 15:34:36 gavotte-pp authentic2-manage[2855064]:   File "/usr/lib/python3/dist-packages/django/core/mana
gement/base.py", line 89, in wrapped
Dec 01 15:34:36 gavotte-pp authentic2-manage[2855064]:     res = handle_func(*args, **kwargs)
Dec 01 15:34:36 gavotte-pp authentic2-manage[2855064]:   File "/usr/lib/python3/dist-packages/django/core/mana
gement/commands/migrate.py", line 75, in handle
```

```

Dec 01 15:34:36 gavotte-pp authentic2-manage[2855064]: self.check(databases=[database])
Dec 01 15:34:36 gavotte-pp authentic2-manage[2855064]: File "/usr/lib/python3/dist-packages/django/core/mana
gement/base.py", line 419, in check
Dec 01 15:34:36 gavotte-pp authentic2-manage[2855064]: all_issues = checks.run_checks(
Dec 01 15:34:36 gavotte-pp authentic2-manage[2855064]: File "/usr/lib/python3/dist-packages/django/core/che
cks/registry.py", line 76, in run_checks
Dec 01 15:34:36 gavotte-pp authentic2-manage[2855064]: new_errors = check(app_configs=app_configs, databas
es=databases)
Dec 01 15:34:36 gavotte-pp authentic2-manage[2855064]: File "/usr/lib/python3/dist-packages/django/core/che
cks/urls.py", line 13, in check_url_config
Dec 01 15:34:36 gavotte-pp authentic2-manage[2855064]: return check_resolver(resolver)
Dec 01 15:34:36 gavotte-pp authentic2-manage[2855064]: File "/usr/lib/python3/dist-packages/django/core/che
cks/urls.py", line 23, in check_resolver
Dec 01 15:34:36 gavotte-pp authentic2-manage[2855064]: return check_method()
Dec 01 15:34:36 gavotte-pp authentic2-manage[2855064]: File "/usr/lib/python3/dist-packages/django/urls/reso
lvers.py", line 416, in check
Dec 01 15:34:36 gavotte-pp authentic2-manage[2855064]: for pattern in self.url_patterns:
Dec 01 15:34:36 gavotte-pp authentic2-manage[2855064]: File "/usr/lib/python3/dist-packages/django/urls/fun
ctional.py", line 48, in __get__
Dec 01 15:34:36 gavotte-pp authentic2-manage[2855064]: res = instance.__dict__[self.name] = self.func(inst
ance)
Dec 01 15:34:36 gavotte-pp authentic2-manage[2855064]: File "/usr/lib/python3/dist-packages/django/urls/reso
lvers.py", line 602, in url_patterns
Dec 01 15:34:36 gavotte-pp authentic2-manage[2855064]: patterns = getattr(self.urlconf_module, "urlpatterns
", self.urlconf_module)
Dec 01 15:34:36 gavotte-pp authentic2-manage[2855064]: File "/usr/lib/python3/dist-packages/django/urls/fun
ctional.py", line 48, in __get__
Dec 01 15:34:36 gavotte-pp authentic2-manage[2855064]: res = instance.__dict__[self.name] = self.func(inst
ance)
Dec 01 15:34:36 gavotte-pp authentic2-manage[2855064]: File "/usr/lib/python3/dist-packages/django/urls/reso
lvers.py", line 595, in urlconf_module
Dec 01 15:34:36 gavotte-pp authentic2-manage[2855064]: return import_module(self.urlconf_name)
Dec 01 15:34:36 gavotte-pp authentic2-manage[2855064]: File "/usr/lib/python3.9/importlib/__init__.py", line
127, in import_module
Dec 01 15:34:36 gavotte-pp authentic2-manage[2855064]: return _bootstrap._gcd_import(name[level:], package
, level)
Dec 01 15:34:36 gavotte-pp authentic2-manage[2855064]: File "<frozen importlib._bootstrap>", line 1030, in _
gcd_import
Dec 01 15:34:36 gavotte-pp authentic2-manage[2855064]: File "<frozen importlib._bootstrap>", line 1007, in _
find_and_load
Dec 01 15:34:36 gavotte-pp authentic2-manage[2855064]: File "<frozen importlib._bootstrap>", line 986, in _f
ind_and_load_unlocked
Dec 01 15:34:36 gavotte-pp authentic2-manage[2855064]: File "<frozen importlib._bootstrap>", line 680, in _l
oad_unlocked
Dec 01 15:34:36 gavotte-pp authentic2-manage[2855064]: File "<frozen importlib._bootstrap_external>", line 7
90, in exec_module
Dec 01 15:34:36 gavotte-pp authentic2-manage[2855064]: File "<frozen importlib._bootstrap>", line 228, in _c
all_with_frames_removed
Dec 01 15:34:36 gavotte-pp authentic2-manage[2855064]: File "/usr/lib/python3/dist-packages/authentic2/urls.
py", line 105, in <module>
Dec 01 15:34:36 gavotte-pp authentic2-manage[2855064]: re_path(r'^manage/', include('authentic2.manager.ur
ls')),
Dec 01 15:34:36 gavotte-pp authentic2-manage[2855064]: File "/usr/lib/python3/dist-packages/django/urls/conf
.py", line 34, in include
Dec 01 15:34:36 gavotte-pp authentic2-manage[2855064]: urlconf_module = import_module(urlconf_module)
Dec 01 15:34:36 gavotte-pp authentic2-manage[2855064]: File "/usr/lib/python3.9/importlib/__init__.py", line
127, in import_module
Dec 01 15:34:36 gavotte-pp authentic2-manage[2855064]: return _bootstrap._gcd_import(name[level:], package
, level)
Dec 01 15:34:36 gavotte-pp authentic2-manage[2855064]: File "<frozen importlib._bootstrap>", line 1030, in _
gcd_import
Dec 01 15:34:36 gavotte-pp authentic2-manage[2855064]: File "<frozen importlib._bootstrap>", line 1007, in _
find_and_load
Dec 01 15:34:36 gavotte-pp authentic2-manage[2855064]: File "<frozen importlib._bootstrap>", line 986, in _f
ind_and_load_unlocked
Dec 01 15:34:36 gavotte-pp authentic2-manage[2855064]: File "<frozen importlib._bootstrap>", line 680, in _l
oad_unlocked
Dec 01 15:34:36 gavotte-pp authentic2-manage[2855064]: File "<frozen importlib._bootstrap_external>", line 7
90, in exec_module
Dec 01 15:34:36 gavotte-pp authentic2-manage[2855064]: File "<frozen importlib._bootstrap>", line 228, in _c
all_with_frames_removed
Dec 01 15:34:36 gavotte-pp authentic2-manage[2855064]: File "/usr/lib/python3/dist-packages/authentic2/manag
er/urls.py", line 20, in <module>
Dec 01 15:34:36 gavotte-pp authentic2-manage[2855064]: from authentic2.apps.authenticators.manager_urls im
port urlpatterns as authenticator_urlpatterns

```

```

Dec 01 15:34:36 gavotte-pp authentic2-manage[2855064]: File "/usr/lib/python3/dist-packages/authentic2/apps/
authenticators/manager_urls.py", line 19, in <module>
Dec 01 15:34:36 gavotte-pp authentic2-manage[2855064]:     from . import views
Dec 01 15:34:36 gavotte-pp authentic2-manage[2855064]: File "/usr/lib/python3/dist-packages/authentic2/apps/
authenticators/views.py", line 34, in <module>
Dec 01 15:34:36 gavotte-pp authentic2-manage[2855064]:     from authentic2.manager.journal_views import BaseJo
urnalView
Dec 01 15:34:36 gavotte-pp authentic2-manage[2855064]: File "/usr/lib/python3/dist-packages/authentic2/manag
er/journal_views.py", line 38, in <module>
Dec 01 15:34:36 gavotte-pp authentic2-manage[2855064]:     from . import views
Dec 01 15:34:36 gavotte-pp authentic2-manage[2855064]: File "/usr/lib/python3/dist-packages/authentic2/manag
er/views.py", line 51, in <module>
Dec 01 15:34:36 gavotte-pp authentic2-manage[2855064]:     from . import app_settings, forms, utils, widgets
Dec 01 15:34:36 gavotte-pp authentic2-manage[2855064]: File "/usr/lib/python3/dist-packages/authentic2/manag
er/forms.py", line 32, in <module>
Dec 01 15:34:36 gavotte-pp authentic2-manage[2855064]:     from django_select2.forms import HeavySelect2Widget
Dec 01 15:34:36 gavotte-pp authentic2-manage[2855064]: File "/usr/lib/python3/dist-packages/django_select2/f
orms.py", line 60, in <module>
Dec 01 15:34:36 gavotte-pp authentic2-manage[2855064]:     from django.utils.six.moves.cPickle import Pickling
Error as cPicklingError
Dec 01 15:34:36 gavotte-pp authentic2-manage[2855064]: ModuleNotFoundError: No module named 'django.utils.six'
Dec 01 15:34:36 gavotte-pp systemd[1]: authentic2.service: Control process exited, code=exited, status=1/FAILU
RE
Dec 01 15:34:36 gavotte-pp systemd[1]: authentic2.service: Failed with result 'exit-code'.
Dec 01 15:34:36 gavotte-pp systemd[1]: Failed to start Authentic 2.

```

Je précise que la lib **django-select2** provient de votre paquet **python3-django-select2** version **5.10.0-1~eob110+2**. Peut-être qu'une mise à jour de ce paquet s'impose.

#12 - 05 décembre 2022 13:16 - Paul Marillonnet

- Lié à [Development #72028](#): mettre à jour notre paquet *debian python3-django-select2* (?) ajouté

#13 - 05 décembre 2022 14:08 - Frédéric Péters

Benjamin, il y a une version 5.10.0-1~eob110+3 de python3-django-select2 dans le dépôt bullseye-eobuilder, qui fonctionne avec 3.2.

#14 - 07 décembre 2022 12:57 - Benjamin Renard

Frédéric Péters a écrit :

Benjamin, il y a une version 5.10.0-1~eob110+3 de python3-django-select2 dans le dépôt bullseye-eobuilder, qui fonctionne avec 3.2.

Effectivement, je viens de faire le test et ça fonctionne. Merci !

Fichiers

request.xml	3,3 ko	28 novembre 2022	Benjamin Renard
metadata_pigment.xml	5,14 ko	28 novembre 2022	Benjamin Renard