

## Authentic 2 - Development #72382

### settings : retrait de EMAIL\_IS\_UNIQUE

14 décembre 2022 09:08 - Paul Marillonnet

<b>Statut:</b>	Nouveau	<b>Début:</b>	14 décembre 2022
<b>Priorité:</b>	Normal	<b>Echéance:</b>	
<b>Assigné à:</b>		<b>% réalisé:</b>	0%
<b>Catégorie:</b>		<b>Temps estimé:</b>	0:00 heure
<b>Version cible:</b>		<b>Planning:</b>	Non
<b>Patch proposed:</b>	Non		
<b>Description</b>			
Celui-ci est faux par défaut, à ma connaissance on n'y touche jamais. Dans <a href="#">#72283</a> on y parle de le retirer, et de prévoir une migration qui lorsqu'il était positionné à True, pose ou.email_is_unique = True sur toutes les ou de l'instance à la place.			
<b>Demandes liées:</b>			
Lié à Authentic 2 - Support #72283: Le courriel doit être unique : harmoniser...		<b>Fermé</b>	<b>12 décembre 2022</b>

### Historique

#### #1 - 14 décembre 2022 09:13 - Paul Marillonnet

- Lié à Support #72283: Le courriel doit être unique : harmoniser le paramétrage global avec l'écran de paramétrage d'une OU ajouté

#### #2 - 14 décembre 2022 10:17 - Serghei Mihai

Curieux, je viens d'exécuter ce code en recette:

```
from authentic2 import app_settings

print ("app_settings.A2_EMAIL_IS_UNIQUE: %r" % app_settings.A2_EMAIL_IS_UNIQUE)

et

* Running command runscript on tenant authentic-atreal.test.entrouvert.org
app_settings.A2_EMAIL_IS_UNIQUE: True
=====
* Running command runscript on tenant connexion-aecuvillon.test.entrouvert.org
app_settings.A2_EMAIL_IS_UNIQUE: True
=====
* Running command runscript on tenant connexion-agents-cd14.test.entrouvert.org
app_settings.A2_EMAIL_IS_UNIQUE: True
=====
* Running command runscript on tenant connexion-agglo-saumur.test.entrouvert.org
app_settings.A2_EMAIL_IS_UNIQUE: True
=====
* Running command runscript on tenant connexion-amathias.test.entrouvert.org
app_settings.A2_EMAIL_IS_UNIQUE: True
=====
* Running command runscript on tenant connexion-amiens.test.entrouvert.org
app_settings.A2_EMAIL_IS_UNIQUE: True
=====
* Running command runscript on tenant connexion-ampmetropole.test.entrouvert.org
app_settings.A2_EMAIL_IS_UNIQUE: True
=====
* Running command runscript on tenant connexion-angouleme.test.entrouvert.org
app_settings.A2_EMAIL_IS_UNIQUE: True
=====
```

```
* Running command runscript on tenant connexion-antibes.test.entrouvert.org
app_settings.A2_EMAIL_IS_UNIQUE: True
=====
* Running command runscript on tenant connexion-arles.test.entrouvert.org
app_settings.A2_EMAIL_IS_UNIQUE: True
=====
* Running command runscript on tenant connexion-armentieres.test.entrouvert.org
app_settings.A2_EMAIL_IS_UNIQUE: True
=====
* Running command runscript on tenant connexion-arpajon.test.entrouvert.org
app_settings.A2_EMAIL_IS_UNIQUE: True
=====
* Running command runscript on tenant connexion-atolcd.test.entrouvert.org
app_settings.A2_EMAIL_IS_UNIQUE: True
=====
* Running command runscript on tenant connexion-atreal-ideau.test.entrouvert.org
app_settings.A2_EMAIL_IS_UNIQUE: True
=====
* Running command runscript on tenant connexion-auch.test.entrouvert.org
app_settings.A2_EMAIL_IS_UNIQUE: True
=====
* Running command runscript on tenant connexion-berreletang.test.entrouvert.org
app_settings.A2_EMAIL_IS_UNIQUE: True
=====
* Running command runscript on tenant connexion-bethunebruay.test.entrouvert.org
app_settings.A2_EMAIL_IS_UNIQUE: True
=====
* Running command runscript on tenant connexion-bmallet.test.entrouvert.org
app_settings.A2_EMAIL_IS_UNIQUE: True
=====
* Running command runscript on tenant connexion-boussu.test.entrouvert.org
app_settings.A2_EMAIL_IS_UNIQUE: True
=====
* Running command runscript on tenant connexion-braine-l-alleud.test.entrouvert.org
app_settings.A2_EMAIL_IS_UNIQUE: True
=====
* Running command runscript on tenant connexion-caen-la-mer.test.entrouvert.org
app_settings.A2_EMAIL_IS_UNIQUE: True
=====
* Running command runscript on tenant connexion-cah.test.entrouvert.org
app_settings.A2_EMAIL_IS_UNIQUE: True
=====
* Running command runscript on tenant connexion-calvados.test.entrouvert.org
app_settings.A2_EMAIL_IS_UNIQUE: True
=====
* Running command runscript on tenant connexion-cantal.test.entrouvert.org
app_settings.A2_EMAIL_IS_UNIQUE: True
=====
* Running command runscript on tenant connexion-cap-atlantique.test.entrouvert.org
app_settings.A2_EMAIL_IS_UNIQUE: True
=====
* Running command runscript on tenant connexion-cca.test.entrouvert.org
app_settings.A2_EMAIL_IS_UNIQUE: True
=====
* Running command runscript on tenant connexion-cch.test.entrouvert.org
app_settings.A2_EMAIL_IS_UNIQUE: True
=====
```

```
=====
* Running command runscript on tenant connexion-cci-france.test.entrouvert.org
app_settings.A2_EMAIL_IS_UNIQUE: True
=====
* Running command runscript on tenant connexion-cd22.test.entrouvert.org
app_settings.A2_EMAIL_IS_UNIQUE: True
=====
* Running command runscript on tenant connexion-cd44.test.entrouvert.org
app_settings.A2_EMAIL_IS_UNIQUE: True
=====
* Running command runscript on tenant connexion-cgirard.test.entrouvert.org
app_settings.A2_EMAIL_IS_UNIQUE: True
=====
* Running command runscript on tenant connexion-chateauroux.test.entrouvert.org
app_settings.A2_EMAIL_IS_UNIQUE: True
=====
* Running command runscript on tenant connexion-chemdata.test.entrouvert.org
app_settings.A2_EMAIL_IS_UNIQUE: True
=====
* Running command runscript on tenant connexion-chris-a.test.entrouvert.org
app_settings.A2_EMAIL_IS_UNIQUE: True
=====
* Running command runscript on tenant connexion-chris.test.entrouvert.org
app_settings.A2_EMAIL_IS_UNIQUE: True
=====
* Running command runscript on tenant connexion-cinor.test.entrouvert.org
app_settings.A2_EMAIL_IS_UNIQUE: True
=====
* Running command runscript on tenant connexion-clermont-metropole.test.entrouvert.org
app_settings.A2_EMAIL_IS_UNIQUE: True
=====
* Running command runscript on tenant connexion-cnll.test.entrouvert.org
app_settings.A2_EMAIL_IS_UNIQUE: True
=====
* Running command runscript on tenant connexion-correze.test.entrouvert.org
app_settings.A2_EMAIL_IS_UNIQUE: True
=====
* Running command runscript on tenant connexion-csam.test.entrouvert.org
app_settings.A2_EMAIL_IS_UNIQUE: True
=====
* Running command runscript on tenant connexion-csma.test.entrouvert.org
app_settings.A2_EMAIL_IS_UNIQUE: True
=====
* Running command runscript on tenant connexion-documents.test.entrouvert.org
app_settings.A2_EMAIL_IS_UNIQUE: True
=====
* Running command runscript on tenant connexion-dordogne.test.entrouvert.org
app_settings.A2_EMAIL_IS_UNIQUE: True
=====
* Running command runscript on tenant connexion-dreux.test.entrouvert.org
app_settings.A2_EMAIL_IS_UNIQUE: True
=====
* Running command runscript on tenant connexion-e-service-seine-et-marne.test.entrouvert.org
app_settings.A2_EMAIL_IS_UNIQUE: True
=====
* Running command runscript on tenant connexion-ecazenave.test.entrouvert.org
app_settings.A2_EMAIL_IS_UNIQUE: True
=====
```

```
=====
* Running command runscript on tenant connexion-essonne.test.entrouvert.org
app_settings.A2_EMAIL_IS_UNIQUE: True
=====
* Running command runscript on tenant connexion-estensemble.test.entrouvert.org
app_settings.A2_EMAIL_IS_UNIQUE: True
=====
* Running command runscript on tenant connexion-eurometropolemetz.test.entrouvert.org
app_settings.A2_EMAIL_IS_UNIQUE: True
=====
* Running command runscript on tenant connexion-experimentation-publik.test.entrouvert.org
app_settings.A2_EMAIL_IS_UNIQUE: True
=====
* Running command runscript on tenant connexion-exploc.test.entrouvert.org
app_settings.A2_EMAIL_IS_UNIQUE: True
=====
* Running command runscript on tenant connexion-fondettes.test.entrouvert.org
app_settings.A2_EMAIL_IS_UNIQUE: True
=====
* Running command runscript on tenant connexion-gbn.test.entrouvert.org
app_settings.A2_EMAIL_IS_UNIQUE: True
=====
* Running command runscript on tenant connexion-gonfreville-l-orcher.test.entrouvert.org
app_settings.A2_EMAIL_IS_UNIQUE: True
=====
* Running command runscript on tenant connexion-gpseo.test.entrouvert.org
app_settings.A2_EMAIL_IS_UNIQUE: True
=====
* Running command runscript on tenant connexion-grand-chambery.test.entrouvert.org
app_settings.A2_EMAIL_IS_UNIQUE: True
=====
* Running command runscript on tenant connexion-grand-chatellerault.test.entrouvert.org
app_settings.A2_EMAIL_IS_UNIQUE: True
=====
* Running command runscript on tenant connexion-grand-nancy.test.entrouvert.org
app_settings.A2_EMAIL_IS_UNIQUE: True
=====
* Running command runscript on tenant connexion-grenoble.test.entrouvert.org
app_settings.A2_EMAIL_IS_UNIQUE: True
=====
* Running command runscript on tenant connexion-hautes-pyrenees.test.entrouvert.org
app_settings.A2_EMAIL_IS_UNIQUE: True
=====
* Running command runscript on tenant connexion-implicit.test.entrouvert.org
app_settings.A2_EMAIL_IS_UNIQUE: True
=====
* Running command runscript on tenant connexion-indre.test.entrouvert.org
app_settings.A2_EMAIL_IS_UNIQUE: True
=====
* Running command runscript on tenant connexion-interne-villeurbanne.test.entrouvert.org
app_settings.A2_EMAIL_IS_UNIQUE: True
=====
* Running command runscript on tenant connexion-intranet-correze.test.entrouvert.org
app_settings.A2_EMAIL_IS_UNIQUE: True
=====
```

```
=====
* Running command runscript on tenant connexion-isere.test.entrouvert.org
app_settings.A2_EMAIL_IS_UNIQUE: True
=====
* Running command runscript on tenant connexion-jura.test.entrouvert.org
app_settings.A2_EMAIL_IS_UNIQUE: True
=====
* Running command runscript on tenant connexion-la-carotte-bleue.test.entrouvert.org
app_settings.A2_EMAIL_IS_UNIQUE: True
=====
* Running command runscript on tenant connexion-laetis.test.entrouvert.org
app_settings.A2_EMAIL_IS_UNIQUE: True
=====
* Running command runscript on tenant connexion-lambersart.test.entrouvert.org
app_settings.A2_EMAIL_IS_UNIQUE: True
=====
* Running command runscript on tenant connexion-landes.test.entrouvert.org
app_settings.A2_EMAIL_IS_UNIQUE: True
=====
* Running command runscript on tenant connexion-lanester.test.entrouvert.org
app_settings.A2_EMAIL_IS_UNIQUE: True
=====
* Running command runscript on tenant connexion-lareunion.test.entrouvert.org
app_settings.A2_EMAIL_IS_UNIQUE: True
=====
* Running command runscript on tenant connexion-larochelle.test.entrouvert.org
app_settings.A2_EMAIL_IS_UNIQUE: True
=====
* Running command runscript on tenant connexion-lenord-preprod.test.entrouvert.org
app_settings.A2_EMAIL_IS_UNIQUE: True
=====
* Running command runscript on tenant connexion-lenord.test.entrouvert.org
app_settings.A2_EMAIL_IS_UNIQUE: False
=====
* Running command runscript on tenant connexion-leplessistrevise.test.entrouvert.org
app_settings.A2_EMAIL_IS_UNIQUE: True
=====
* Running command runscript on tenant connexion-lessables.test.entrouvert.org
app_settings.A2_EMAIL_IS_UNIQUE: True
=====
* Running command runscript on tenant connexion-lozere.test.entrouvert.org
app_settings.A2_EMAIL_IS_UNIQUE: True
=====
* Running command runscript on tenant connexion-malakoff.test.entrouvert.org
app_settings.A2_EMAIL_IS_UNIQUE: True
=====
* Running command runscript on tenant connexion-marcoussis.test.entrouvert.org
app_settings.A2_EMAIL_IS_UNIQUE: True
=====
* Running command runscript on tenant connexion-marseille.test.entrouvert.org
app_settings.A2_EMAIL_IS_UNIQUE: True
=====
* Running command runscript on tenant connexion-martigues.test.entrouvert.org
app_settings.A2_EMAIL_IS_UNIQUE: True
=====
* Running command runscript on tenant connexion-mates.test.entrouvert.org
app_settings.A2_EMAIL_IS_UNIQUE: True
```

```
=====
* Running command runscript on tenant connexion-matrik.test.entrouvert.org
app_settings.A2_EMAIL_IS_UNIQUE: True
=====
* Running command runscript on tenant connexion-mauguio-carnon.test.entrouvert.org
app_settings.A2_EMAIL_IS_UNIQUE: True
=====
* Running command runscript on tenant connexion-mel.test.entrouvert.org
app_settings.A2_EMAIL_IS_UNIQUE: True
=====
* Running command runscript on tenant connexion-metrorouen.test.entrouvert.org
app_settings.A2_EMAIL_IS_UNIQUE: True
=====
* Running command runscript on tenant connexion-meudon.test.entrouvert.org
app_settings.A2_EMAIL_IS_UNIQUE: True
=====
* Running command runscript on tenant connexion-meuse.test.entrouvert.org
app_settings.A2_EMAIL_IS_UNIQUE: True
=====
* Running command runscript on tenant connexion-meyzieu.test.entrouvert.org
app_settings.A2_EMAIL_IS_UNIQUE: True
=====
* Running command runscript on tenant connexion-mincult.test.entrouvert.org
app_settings.A2_EMAIL_IS_UNIQUE: True
=====
* Running command runscript on tenant connexion-minint.test.entrouvert.org
app_settings.A2_EMAIL_IS_UNIQUE: True
=====
* Running command runscript on tenant connexion-ministere-solidarites-sante.test.entrouvert.org
app_settings.A2_EMAIL_IS_UNIQUE: True
=====
* Running command runscript on tenant connexion-miribel.test.entrouvert.org
app_settings.A2_EMAIL_IS_UNIQUE: True
=====
* Running command runscript on tenant connexion-mkuntz.test.entrouvert.org
app_settings.A2_EMAIL_IS_UNIQUE: True
=====
* Running command runscript on tenant connexion-mnhn.test.entrouvert.org
app_settings.A2_EMAIL_IS_UNIQUE: True
=====
* Running command runscript on tenant connexion-modele.test.entrouvert.org
app_settings.A2_EMAIL_IS_UNIQUE: True
=====
* Running command runscript on tenant connexion-montlouis.test.entrouvert.org
app_settings.A2_EMAIL_IS_UNIQUE: True
=====
* Running command runscript on tenant connexion-montreuil.test.entrouvert.org
app_settings.A2_EMAIL_IS_UNIQUE: True
=====
* Running command runscript on tenant connexion-multipref-minint.test.entrouvert.org
app_settings.A2_EMAIL_IS_UNIQUE: True
=====
* Running command runscript on tenant connexion-nancy.test.entrouvert.org
app_settings.A2_EMAIL_IS_UNIQUE: True
=====
* Running command runscript on tenant connexion-nantes-metropole.test.entrouvert.org
```

```
app_settings.A2_EMAIL_IS_UNIQUE: True
=====
* Running command runscript on tenant connexion-neutre-villeurbanne.test.entrouvert.org
app_settings.A2_EMAIL_IS_UNIQUE: True
=====
* Running command runscript on tenant connexion-nice.test.entrouvert.org
app_settings.A2_EMAIL_IS_UNIQUE: True
=====
* Running command runscript on tenant connexion-nimes.test.entrouvert.org
app_settings.A2_EMAIL_IS_UNIQUE: True
=====
* Running command runscript on tenant connexion-noyelles-godault.test.entrouvert.org
app_settings.A2_EMAIL_IS_UNIQUE: True
=====
* Running command runscript on tenant connexion-orenard.test.entrouvert.org
app_settings.A2_EMAIL_IS_UNIQUE: True
=====
* Running command runscript on tenant connexion-orleans.test.entrouvert.org
app_settings.A2_EMAIL_IS_UNIQUE: True
=====
* Running command runscript on tenant connexion-parisnanterre.test.entrouvert.org
app_settings.A2_EMAIL_IS_UNIQUE: True
=====
* Running command runscript on tenant connexion-parsifal-preprod.test.entrouvert.org
app_settings.A2_EMAIL_IS_UNIQUE: True
=====
* Running command runscript on tenant connexion-parsifal.test.entrouvert.org
app_settings.A2_EMAIL_IS_UNIQUE: True
=====
* Running command runscript on tenant connexion-pfwb.test.entrouvert.org
app_settings.A2_EMAIL_IS_UNIQUE: True
=====
* Running command runscript on tenant connexion-pm.test.entrouvert.org
app_settings.A2_EMAIL_IS_UNIQUE: True
=====
* Running command runscript on tenant connexion-publik-famille.test.entrouvert.org
app_settings.A2_EMAIL_IS_UNIQUE: True
=====
* Running command runscript on tenant connexion-publik-light.test.entrouvert.org
app_settings.A2_EMAIL_IS_UNIQUE: True
=====
* Running command runscript on tenant connexion-publik-notifications.test.entrouvert.org
app_settings.A2_EMAIL_IS_UNIQUE: True
=====
* Running command runscript on tenant connexion-quimper.test.entrouvert.org
app_settings.A2_EMAIL_IS_UNIQUE: True
=====
* Running command runscript on tenant connexion-recette.formulaireextranet.grandlyon.com
app_settings.A2_EMAIL_IS_UNIQUE: True
=====
* Running command runscript on tenant connexion-recette.formulaireintranet.grandlyon.com
app_settings.A2_EMAIL_IS_UNIQUE: True
=====
* Running command runscript on tenant connexion-regionreunion.test.entrouvert.org
app_settings.A2_EMAIL_IS_UNIQUE: True
=====
```

```
* Running command runscript on tenant connexion-residences.test.entrouvert.org
app_settings.A2_EMAIL_IS_UNIQUE: True
=====
* Running command runscript on tenant connexion-roannais-agglomeration.test.entrouvert.org
app_settings.A2_EMAIL_IS_UNIQUE: True
=====
* Running command runscript on tenant connexion-roanne-mutuel.test.entrouvert.org
app_settings.A2_EMAIL_IS_UNIQUE: True
=====
* Running command runscript on tenant connexion-rochefort-agglo.test.entrouvert.org
app_settings.A2_EMAIL_IS_UNIQUE: True
=====
* Running command runscript on tenant connexion-rouen-intranet.test.entrouvert.org
app_settings.A2_EMAIL_IS_UNIQUE: True
=====
* Running command runscript on tenant connexion-rouen.test.entrouvert.org
app_settings.A2_EMAIL_IS_UNIQUE: True
=====
* Running command runscript on tenant connexion-saint-chamond.test.entrouvert.org
app_settings.A2_EMAIL_IS_UNIQUE: True
=====
* Running command runscript on tenant connexion-saint-denis-93.test.entrouvert.org
app_settings.A2_EMAIL_IS_UNIQUE: True
=====
* Running command runscript on tenant connexion-saint-lo.test.entrouvert.org
app_settings.A2_EMAIL_IS_UNIQUE: True
=====
* Running command runscript on tenant connexion-saintlaurentduvar.test.entrouvert.org
app_settings.A2_EMAIL_IS_UNIQUE: True
=====
* Running command runscript on tenant connexion-saone-et-loire.test.entrouvert.org
app_settings.A2_EMAIL_IS_UNIQUE: True
=====
Running command runscript on tenant connexion-sens.test.entrouvert.org
app_settings.A2_EMAIL_IS_UNIQUE: True
=====
* Running command runscript on tenant connexion-sguiet.test.entrouvert.org
app_settings.A2_EMAIL_IS_UNIQUE: True
=====
* Running command runscript on tenant connexion-slaget.test.entrouvert.org
app_settings.A2_EMAIL_IS_UNIQUE: True
=====
* Running command runscript on tenant connexion-somme.test.entrouvert.org
app_settings.A2_EMAIL_IS_UNIQUE: True
=====
* Running command runscript on tenant connexion-strasbourg.test.entrouvert.org
app_settings.A2_EMAIL_IS_UNIQUE: True
=====
* Running command runscript on tenant connexion-thonon-agglomeration.test.entrouvert.org
app_settings.A2_EMAIL_IS_UNIQUE: True
=====
* Running command runscript on tenant connexion-thononagglo.test.entrouvert.org
app_settings.A2_EMAIL_IS_UNIQUE: True
=====
* Running command runscript on tenant connexion-toulouse.test.entrouvert.org
app_settings.A2_EMAIL_IS_UNIQUE: True
=====
```



```
=====
* Running command runscript on tenant connexion-tours.test.entrouvert.org
app_settings.A2_EMAIL_IS_UNIQUE: True
=====
* Running command runscript on tenant connexion-univ-avignon.test.entrouvert.org
app_settings.A2_EMAIL_IS_UNIQUE: True
=====
* Running command runscript on tenant connexion-univ-nantes.test.entrouvert.org
app_settings.A2_EMAIL_IS_UNIQUE: True
=====
* Running command runscript on tenant connexion-universite-lorraine.test.entrouvert.org
app_settings.A2_EMAIL_IS_UNIQUE: True
=====
* Running command runscript on tenant connexion-up.test.entrouvert.org
app_settings.A2_EMAIL_IS_UNIQUE: True
=====
* Running command runscript on tenant connexion-validation.test.entrouvert.org
app_settings.A2_EMAIL_IS_UNIQUE: True
=====
* Running command runscript on tenant connexion-vandoeuvre.test.entrouvert.org
app_settings.A2_EMAIL_IS_UNIQUE: True
=====
* Running command runscript on tenant connexion-vendee.test.entrouvert.org
app_settings.A2_EMAIL_IS_UNIQUE: True
=====
* Running command runscript on tenant connexion-venissieux.test.entrouvert.org
app_settings.A2_EMAIL_IS_UNIQUE: True
=====
* Running command runscript on tenant connexion-victor.test.entrouvert.org
app_settings.A2_EMAIL_IS_UNIQUE: True
=====
* Running command runscript on tenant connexion-villedavray.test.entrouvert.org
app_settings.A2_EMAIL_IS_UNIQUE: True
=====
* Running command runscript on tenant connexion-villedupre.test.entrouvert.org
app_settings.A2_EMAIL_IS_UNIQUE: True
=====
* Running command runscript on tenant connexion-villeneuve-dascq.test.entrouvert.org
app_settings.A2_EMAIL_IS_UNIQUE: True
=====
* Running command runscript on tenant connexion-villeurbanne.test.entrouvert.org
app_settings.A2_EMAIL_IS_UNIQUE: True
=====
* Running command runscript on tenant connexion.cutm-publick-preprod.nfrance.com
app_settings.A2_EMAIL_IS_UNIQUE: True
=====
* Running command runscript on tenant connexion.guichet-recette.grandlyon.com
app_settings.A2_EMAIL_IS_UNIQUE: False
=====
* Running command runscript on tenant connexion.publik.love
app_settings.A2_EMAIL_IS_UNIQUE: True
=====
* Running command runscript on tenant connexion.services-test.haute-garonne.fr
app_settings.A2_EMAIL_IS_UNIQUE: True
=====
=====
```

```
* Running command runscript on tenant connexion.signalpublik.test.entrouvert.org
app_settings.A2_EMAIL_IS_UNIQUE: True
```

```
=====
* Running command runscript on tenant connexiondemarches-fsb.test.entrouvert.org
app_settings.A2_EMAIL_IS_UNIQUE: True
```

```
=====
* Running command runscript on tenant idp-test-entrouvert.montpellier3m.fr
app_settings.A2_EMAIL_IS_UNIQUE: True
```

Alors qu'il n'y a pas de settings particuliers pour les tenants où la valeur est True.

### #3 - 14 décembre 2022 10:20 - Benjamin Dauvergne

Ça vient d'hobo :

```
~/wd/eo/hobo$ git grep EMAIL_IS_UNIQUE
hobo/multitenant/settings_loaders.py:         tenant_settings.A2_EMAIL_IS_UNIQUE = True
hobo/multitenant/settings_loaders.py:         tenant_settings.A2_REGISTRATION_EMAIL_IS_UNIQUE = True
```

### #4 - 14 décembre 2022 10:56 - Serghei Mihai

Ah ok, mais ça fait confusion quand on a la case "Le courriel doit être unique" d'une OU décochée (c'est le cas par défaut).  
Mais ce n'est sûrement pas l'objet de ce ticket.

### #5 - 14 décembre 2022 10:58 - Serghei Mihai

Et c'est [#72283](#) donc. Je suis lent ce matin.