

Authentic 2 - Bug #7328

Error 500 when adding an user

21 mai 2015 13:53 - Frédéric Péters

Statut:	Fermé	Début:	21 mai 2015
Priorité:	Normal	Echéance:	
Assigné à:	Benjamin Dauvergne	% réalisé:	0%
Catégorie:		Temps estimé:	0:00 heure
Version cible:	2.2.0	Planning:	
Patch proposed:	Non		
Description			
<pre>Traceback: File "/usr/lib/python2.7/dist-packages/django/core/handlers/base.py" in get_response 111. response = wrapped_callback(request, *callback_args, **callback_kwargs) File "/usr/lib/python2.7/dist-packages/django/db/transaction.py" in inner 394. return func(*args, **kwargs) File "/usr/lib/python2.7/dist-packages/django/contrib/auth/decorators.py" in _wrapped_view 21. return view_func(request, *args, **kwargs) File "/usr/lib/python2.7/dist-packages/django/views/generic/base.py" in view 69. return self.dispatch(request, *args, **kwargs) File "/usr/lib/python2.7/dist-packages/authentic2/manager/views.py" in dispatch 67. return super(PermissionMixin, self).dispatch(request, *args, **kwargs) File "/usr/lib/python2.7/dist-packages/authentic2/manager/views.py" in dispatch 172. return self.return_ajax_response(request, response) File "/usr/lib/python2.7/dist-packages/authentic2/manager/views.py" in return_ajax_response 189. response.render() File "/usr/lib/python2.7/dist-packages/django/template/response.py" in render 103. self.content = self.rendered_content File "/usr/lib/python2.7/dist-packages/django/template/response.py" in rendered_content 80. content = template.render(context) File "/usr/lib/python2.7/dist-packages/django/template/base.py" in render 148. return self._render(context) File "/usr/lib/python2.7/dist-packages/django/template/base.py" in _render 142. return self.nodelist.render(context) File "/usr/lib/python2.7/dist-packages/django/template/base.py" in render 844. bit = self.render_node(node, context) File "/usr/lib/python2.7/dist-packages/django/template/debug.py" in render_node 80. return node.render(context) File "/usr/lib/python2.7/dist-packages/django/template/loader_tags.py" in render 126. return compiled_parent._render(context) File "/usr/lib/python2.7/dist-packages/django/template/base.py" in _render 142. return self.nodelist.render(context) File "/usr/lib/python2.7/dist-packages/django/template/base.py" in render 844. bit = self.render_node(node, context) File "/usr/lib/python2.7/dist-packages/django/template/debug.py" in render_node 80. return node.render(context) File "/usr/lib/python2.7/dist-packages/django/template/loader_tags.py" in render 126. return compiled_parent._render(context) File "/usr/lib/python2.7/dist-packages/django/template/base.py" in _render 142. return self.nodelist.render(context) File "/usr/lib/python2.7/dist-packages/django/template/base.py" in render 844. bit = self.render_node(node, context) File "/usr/lib/python2.7/dist-packages/django/template/debug.py" in render_node 80. return node.render(context) File "/usr/lib/python2.7/dist-packages/django/template/loader_tags.py" in render 126. return compiled_parent._render(context) File "/usr/lib/python2.7/dist-packages/django/template/base.py" in _render 142. return self.nodelist.render(context) File "/usr/lib/python2.7/dist-packages/django/template/base.py" in render 844. bit = self.render_node(node, context) File "/usr/lib/python2.7/dist-packages/django/template/debug.py" in render_node 80. return node.render(context)</pre>			

```

File "/usr/lib/python2.7/dist-packages/django/template/loader_tags.py" in render
65.         result = block.nodelist.render(context)
File "/usr/lib/python2.7/dist-packages/django/template/base.py" in render
844.         bit = self.render_node(node, context)
File "/usr/lib/python2.7/dist-packages/django/template/debug.py" in render_node
80.         return node.render(context)
File "/usr/lib/python2.7/dist-packages/django/template/loader_tags.py" in render
65.         result = block.nodelist.render(context)
File "/usr/lib/python2.7/dist-packages/django/template/base.py" in render
844.         bit = self.render_node(node, context)
File "/usr/lib/python2.7/dist-packages/django/template/debug.py" in render_node
80.         return node.render(context)
File "/usr/lib/python2.7/dist-packages/django/template/debug.py" in render
90.         output = self.filter_expression.resolve(context)
File "/usr/lib/python2.7/dist-packages/django/template/base.py" in resolve
596.         obj = self.var.resolve(context)
File "/usr/lib/python2.7/dist-packages/django/template/base.py" in resolve
734.         value = self._resolve_lookup(context)
File "/usr/lib/python2.7/dist-packages/django/template/base.py" in _resolve_lookup
788.         current = current()
File "/usr/lib/python2.7/dist-packages/django/forms/forms.py" in as_p
275.         errors_on_separate_row=True)
File "/usr/lib/python2.7/dist-packages/django/forms/forms.py" in _html_output
219.         'field': six.text_type(bf),
File "/usr/lib/python2.7/dist-packages/django/forms/forms.py" in __str__
508.         return self.as_widget()
File "/usr/lib/python2.7/dist-packages/django/forms/forms.py" in as_widget
560.         return force_text(widget.render(name, self.value(), attrs=attrs))
File "/usr/lib/python2.7/dist-packages/django_select2/widgets.py" in render
207.         s += self.render_js_code(id_, name, value, attrs, choices)
File "/usr/lib/python2.7/dist-packages/django_select2/widgets.py" in render_js_code
155.         return self.render_js_script(self.render_inner_js_code(id_, *args))
File "/usr/lib/python2.7/dist-packages/django_select2/widgets.py" in render_inner_js_code
657.         js += super(AutoHeavySelect2Mixin, self).render_inner_js_code(id_, *args)
File "/usr/lib/python2.7/dist-packages/django_select2/widgets.py" in render_inner_js_code
476.         texts = self.render_texts_for_value(id_, value, choices)
File "/usr/lib/python2.7/dist-packages/django_select2/widgets.py" in render_texts_for_value
569.         texts = self.render_texts(value, choices)
File "/usr/lib/python2.7/dist-packages/django_select2/widgets.py" in render_texts
418.         self.choices.set_extra_filter(**{'%s_in' % self.field.get_pk_field_name(): sel
ected_choices})
File "/usr/lib/python2.7/dist-packages/django_select2/fields.py" in set_extra_filter
364.         self.queryset = self._original_queryset.filter(**filter_map)
File "/usr/lib/python2.7/dist-packages/django/db/models/manager.py" in manager_method
92.         return getattr(self.get_queryset(), name)(*args, **kwargs)
File "/usr/lib/python2.7/dist-packages/django/db/models/query.py" in filter
691.         return self._filter_or_exclude(False, *args, **kwargs)
File "/usr/lib/python2.7/dist-packages/django/db/models/query.py" in _filter_or_exclude
709.         clone.query.add_q(Q(*args, **kwargs))
File "/usr/lib/python2.7/dist-packages/django/db/models/sql/query.py" in add_q
1331.         clause, require_inner = self._add_q(where_part, self.used_aliases)
File "/usr/lib/python2.7/dist-packages/django/db/models/sql/query.py" in _add_q
1358.         current_negated=current_negated, connector=connector)
File "/usr/lib/python2.7/dist-packages/django/db/models/sql/query.py" in build_filter
1230.         condition = self.build_lookup(lookups, col, value)
File "/usr/lib/python2.7/dist-packages/django/db/models/sql/query.py" in build_lookup
1138.         return final_lookup(lhs, rhs)
File "/usr/lib/python2.7/dist-packages/django/db/models/lookups.py" in __init__
82.         self.rhs = self.get_prep_lookup()
File "/usr/lib/python2.7/dist-packages/django/db/models/lookups.py" in get_prep_lookup
85.         return self.lhs.output_field.get_prep_lookup(self.lookup_name, self.rhs)
File "/usr/lib/python2.7/dist-packages/django/db/models/fields/__init__.py" in get_prep_lookup
648.         return [self.get_prep_value(v) for v in value]
File "/usr/lib/python2.7/dist-packages/django/db/models/fields/__init__.py" in get_prep_value
915.         return int(value)

```

Exception Type: ValueError at /manage/users/add/

Historique

#1 - 21 mai 2015 15:15 - Benjamin Dauvergne

Can't reproduce :/ Even if I try to use your account or Pierre's one by modifying locally your passwords. I'm using chromium 41 and iceweasel 31. Can I ask you to investigate what's in the "roles" input field after just opening the add dialog ? It appears to contain your username in this case but I still don't know why.

#2 - 21 mai 2015 15:30 - Pierre Cros

Le jeudi 21 mai 2015 à 15:15 +0200, redmine@entrouvert.com a écrit :

Can't reproduce :/ Even if I try to use your account or Pierre's one by modifying locally your passwords. I'm using chromium 41 and iceweasel 31. Can I ask you to investigate what's in the "roles" input field after just opening the add dialog ? It appears to contain your username in this case but I still don't know why.

The "roles" field is empty.

#3 - 21 mai 2015 15:50 - Frédéric Péters

The POST contains the following non-empty fields:

- csrfmiddlewaretoken: [...]
- is_active: on
- roles: fpeters
- send_mail: on
- password1: XXX

In the HTML dom, there's s2id_id_roles, then input#id_roles, then a hidden div holding input[name=roles], set with "fpeters"; it's not present in the received HTML (json embedded, at /manage/users/add/). (the behaviour of /manage/users/add, without going through the popup, is the same).

#4 - 22 mai 2015 17:23 - Benjamin Dauvergne

I completely removed the role field from those forms so I think the problem should not be anymore. Can you confirm ? (New code is deployed on cresson).

#5 - 22 mai 2015 17:23 - Benjamin Dauvergne

- Assigné à mis à Benjamin Dauvergne

- Version cible mis à 2.2.0

#6 - 22 mai 2015 17:29 - Frédéric Péters

It works. (and the popup layout is nice)

#7 - 26 mai 2015 11:40 - Benjamin Dauvergne

- Statut changé de Nouveau à Résolu (à déployer)

#8 - 23 février 2016 12:58 - Benjamin Dauvergne

- Statut changé de Résolu (à déployer) à Solution déployée

#9 - 06 décembre 2017 15:29 - Benjamin Dauvergne

- Statut changé de Solution déployée à Fermé