

w.c.s. - Bug #75154

cron et vue personnalisée filtrée sur l'usager connecté

06 mars 2023 14:58 - Frédéric Péters

Statut:	Fermé	Début:	06 mars 2023
Priorité:	Normal	Echéance:	
Assigné à:	Frédéric Péters	% réalisé:	0%
Catégorie:		Temps estimé:	0:00 heure
Version cible:			
Patch proposed:	Non	Planning:	Non

Description

Exception:

```
type = '<class \'AttributeError\'>', value = "'NoneType' object has no attribute 'is_in_backoffice'
'''
```

Stack trace (most recent call first):

```
File "/usr/lib/python3/dist-packages/wcs/backoffice/management.py", line 2034, in get_view_criterias
    2032          if filter_field_value == '__current__':
    2033              context_vars = get_publisher().substitutions.get_context_variables(mode
='lazy')
> 2034          if get_request().is_in_backoffice() and context_vars.get('form'):
    2035              # in case of backoffice submission/edition, take user associated
    2036              # with the form being submitted/edited, if any.
```

locals:

```
...
filter_field = <wcs.backoffice.management.FakeField object at 0x7f166a2c3be0>
filter_field_key = 'filter-user-value'
filter_field_operator = 'eq'
filter_field_operator_key = 'filter-user-operator'
filter_field_value = '__current__'
filters_dict = {'filter-user': 'on', 'filter-user-value': '__current__'}
```

File "/usr/lib/python3/dist-packages/wcs/custom_views.py", line 184, in get_criterias

```
    182
    183      form_page = FormPage(formdef=formdef, view=self, update_breadcrumbs=False)
> 184      criterias = form_page.get_view_criterias(
    185          custom_view=self,
    186          compile_templates=compile_templates,
```

locals:

```
FormPage = <class 'wcs.backoffice.management.FormPage'>
compile_templates = True
form_page = <wcs.backoffice.management.FormPage object at 0x7f166a2c35b0>
formdef = <CardDef 'BB_Enfants' id:17>
keep_templates = False
self = <CustomView id:12>
```

File "/usr/lib/python3/dist-packages/wcs/carddef.py", line 222, in get_data_source_items

```
    220          order_by = carddef.get_order_by(custom_view.order_by)
    221          if not get_by_id:
> 222              criterias.extend(custom_view.get_criterias(formdef=carddef, compile_templ
ates=True))
    223
    224      if custom_view:
```

locals:

```
carddef = <CardDef 'BB_Enfants' id:17>
cls = <class 'wcs.carddef.CardDef'>
criterias = [<StrictNotEqual (attribute: 'status', value: 'draft')>, <Null (attribute: 'anony
mised')>]
```

```

custom_view = <CustomView id:12>
data_source_id = 'carddef:bb_enfants:vue_complete'
digest_key = 'default'
get_by_id = None
get_by_text = None
limit = None
order_by = '-receipt_time'
parts = ['carddef', 'bb_enfants', 'vue_complete']
query = None
with_edit_related_url = False

File "/usr/lib/python3/dist-packages/wcs/data_sources.py", line 396, in _get_structured_items
  394     from wcs.carddef import CardDef
  395
> 396         return CardDef.get_data_source_items(data_source['type'])
  397
  398     cache_duration = 0

locals:
    CardDef = <class 'wcs.carddef.CardDef'>
    data_source = {'type': 'carddef:bb_enfants:vue_complete'}
    mode = None
    raise_on_error = False

File "/usr/lib/python3/dist-packages/wcs/data_sources.py", line 385, in get_structured_items
  383
  384 def get_structured_items(data_source, mode=None, include_disabled=True, raise_on_error=False):
> 385     items = _get_structured_items(data_source, mode=mode, raise_on_error=raise_on_error)
  386     if not include_disabled:
  387         items = [i for i in items if not i.get('disabled')]

locals:
    data_source = {'type': 'carddef:bb_enfants:vue_complete'}
    include_disabled = False
    mode = None
    raise_on_error = False

File "/usr/lib/python3/dist-packages/wcs/data_sources.py", line 238, in get_items
  236
  237 def get_items(data_source, include_disabled=False, mode=None):
> 238     structured_items = get_structured_items(data_source, mode=mode, include_disabled=include_disabled)
  239     tupled_items = []
  240     for item in structured_items:

locals:
    data_source = {'type': 'carddef:bb_enfants:vue_complete'}
    include_disabled = False
    mode = None

File "/usr/lib/python3/dist-packages/wcs/fields.py", line 2619, in get_options
  2617     if self._cached_data_source:
  2618         return self._cached_data_source
> 2619     self._cached_data_source = [x[:3] for x in data_sources.get_items(self.data_source)]
  2620     return self._cached_data_source[:]
  2621 elif self.items:

locals:
    self = <ItemsField 2 'Enfants rattachés'>

File "/usr/lib/python3/dist-packages/wcs/fields.py", line 2806, in store_display_value
  2804
  2805     def store_display_value(self, data, field_id, raise_on_error=False):
> 2806         options = self.get_options()
  2807         if not options:

```

```

2808         return ''
locals:
...
    field_id = '2'
    raise_on_error = False
    self = <ItemsField 2 'Enfants rattachés'>

File "/usr/lib/python3/dist-packages/wcs/fields.py", line 678, in set_value
  676     data['%s' % self.id] = value
  677     if self.store_display_value:
>  678         display_value = self.store_display_value(data, self.id)
  679         if raise_on_error and display_value is None:
  680             raise SetValueError('a datasource is unavailable (field id: %s)' % self.id)

locals:
...
File "/usr/lib/python3/dist-packages/wcs/formdata.py", line 1298, in anonymise
  1296     for field in self.formdef.get_all_fields():
  1297         if field.anonymise:
>  1298             field.set_value(self.data, None)
  1299
  1300         self.anonymised = localtime()

locals:
    field = <ItemsField 2 'Enfants rattachés'>
    self = <_wcs_Bb_Nous-Inscrис-A-Un-Evenement 'BB_Je nous inscris à un événement - n°45-2' id:2>
(il y a aussi éventuellement se dire qu'un bout peut être court-circuité parce qu'aller chercher les options possibles alors qu'on met à None, c'est inutile).

```

Révisions associées

Révision ee5ad161 - 21 mars 2023 07:54 - Frédéric Péters

misc: avoid crash when anonymising on list filtered on connected user (#75154)

Révision 71f1c109 - 21 mars 2023 07:54 - Frédéric Péters

misc: do not get items options when setting to empty value (#75154)

Historique

#1 - 06 mars 2023 15:49 - Robot Gitea

- Statut changé de Nouveau à En cours
- Assigné à mis à Frédéric Péters

Frédéric Péters (fpeters) a ouvert une pull request sur Gitea concernant cette demande :

- URL : <https://git.entrouvert.org/entrouvert/wcs/pulls/150>
- Titre : WIP: cron et vue personnalisée filtrée sur l'usager connecté ([#75154](#))
- Modifications : <https://git.entrouvert.org/entrouvert/wcs/pulls/150/files>

#2 - 20 mars 2023 09:40 - Robot Gitea

- Statut changé de En cours à Solution proposée

#3 - 20 mars 2023 09:53 - Robot Gitea

- Statut changé de Solution proposée à Solution validée

Lauréline Guérin (lguerin) a approuvé une pull request sur Gitea concernant cette demande :

- URL : <https://git.entrouvert.org/entrouvert/wcs/pulls/150>

#4 - 21 mars 2023 07:54 - Robot Gitea

- *Statut changé de Solution validée à Résolu (à déployer)*

Frédéric Péters (fpeters) a mergé une pull request sur Gitea concernant cette demande :

- URL : <https://git.entrouvert.org/entrouvert/wcs/pulls/150>
- Titre : cron et vue personnalisée filtrée sur l'usager connecté ([#75154](#))
- Modifications : <https://git.entrouvert.org/entrouvert/wcs/pulls/150/files>

#5 - 21 mars 2023 15:14 - Transition automatique

- *Statut changé de Résolu (à déployer) à Solution déployée*

#6 - 21 mai 2023 04:42 - Transition automatique

Automatic expiration