

Authentic 2 - Bug #7691

(multitenant) error in create_default_ou when running migrations

29 juin 2015 09:00 - Frédéric Péters

Statut:	Fermé	Début:	29 juin 2015
Priorité:	Normal	Echéance:	
Assigné à:	Benjamin Dauvergne	% réalisé:	100%
Catégorie:		Temps estimé:	0:00 heure
Version cible:	2.2.0	Planning:	
Patch proposé:	Non		
Description			
<pre>Applying saml.0014_auto_20150617_1216... OK Traceback (most recent call last): File "/usr/lib/authentic2/manage.py", line 20, in <module> execute_from_command_line(sys.argv[:1] + argv) File "/usr/lib/python2.7/dist-packages/django/core/management/__init__.py", line 385, in execute_from_command_line e utility.execute() File "/usr/lib/python2.7/dist-packages/django/core/management/__init__.py", line 377, in execute self.fetch_command(subcommand).run_from_argv(self.argv) File "/usr/lib/python2.7/dist-packages/hobo/multitenant/management/commands/migrate_schemas.py", line 25, in run_from_argv super(MigrateSchemasCommand, self).run_from_argv(argv) File "/usr/lib/python2.7/dist-packages/django/core/management/base.py", line 288, in run_from_argv self.execute(*args, **options.__dict__) File "/usr/lib/python2.7/dist-packages/django/core/management/base.py", line 338, in execute output = self.handle(*args, **options) File "/usr/lib/python2.7/dist-packages/hobo/multitenant/management/commands/migrate_schemas.py", line 42, in handle self.run_migrations(tenant.schema_name, settings.TENANT_APPS) File "/usr/lib/python2.7/dist-packages/hobo/multitenant/management/commands/migrate_schemas.py", line 58, in run_migrations command.execute(*self.args, **defaults) File "/usr/lib/python2.7/dist-packages/django/core/management/base.py", line 338, in execute output = self.handle(*args, **options) File "/usr/lib/python2.7/dist-packages/django/core/management/commands/migrate.py", line 165, in handle emit_post_migrate_signal(created_models, self.verbosity, self.interactive, connection.alias) File "/usr/lib/python2.7/dist-packages/django/core/management/sql.py", line 268, in emit_post_migrate_signal using=db) File "/usr/lib/python2.7/dist-packages/django/dispatch/dispatcher.py", line 198, in send response = receiver(signal=self, sender=sender, **named) File "/usr/lib/python2.7/dist-packages/authentic2/a2_rbac/signal_handlers.py", line 29, in create_default_ou 'name': _('Default organizational unit'), File "/usr/lib/python2.7/dist-packages/django/db/models/manager.py", line 92, in manager_method return getattr(self.get_queryset(), name)(*args, **kwargs) File "/usr/lib/python2.7/dist-packages/django/db/models/query.py", line 424, in get_or_create return self._create_object_from_params(lookup, params) File "/usr/lib/python2.7/dist-packages/django/db/models/query.py", line 465, in _create_object_from_params six.reraise(*exc_info) File "/usr/lib/python2.7/dist-packages/django/db/models/query.py", line 457, in _create_object_from_params obj.save(force_insert=True, using=self.db) File "/usr/lib/python2.7/dist-packages/django/db/transaction.py", line 339, in __exit__ connection.commit() File "/usr/lib/python2.7/dist-packages/django/db/backends/__init__.py", line 176, in commit</pre>			

```
self._commit()
File "/usr/lib/python2.7/dist-packages/django/db/backends/__init__.py", line 145, in _commit
    return self.connection.commit()
File "/usr/lib/python2.7/dist-packages/django/db/utils.py", line 94, in __exit__
    six.reraise(dj_exc_type, dj_exc_value, traceback)
File "/usr/lib/python2.7/dist-packages/django/db/backends/__init__.py", line 145, in _commit
    return self.connection.commit()
django.db.utils.IntegrityError: ERREUR: une instruction insert ou update sur la table « a2_rbac_p
ermission » viole la contrainte de clé
étrangère « a2_rb_operation_id_11500320079f32bc_fk_django_rbac_operation_id »
DETAIL: La clé (operation_id)=(4) n'est pas présente dans la table « django_rbac_operation ».
```

(this is on authentic.dev.entrouvert.org)

Révisions associées

Révision 65571f44 - 29 juin 2015 09:32 - Benjamin Dauvergne

django_rbac: remove GlobalCache from get_operation() (fixes #7691)

It should separate cache from different tenants based on the current request, but in commands there is no current request, so it does not work. Another solution would be to deactivate the cache when there is no request in the global context.

Historique

#1 - 29 juin 2015 09:35 - Benjamin Dauvergne

- Statut changé de Nouveau à Résolu (à déployer)
- % réalisé changé de 0 à 100

Appliqué par commit [authentic2|65571f44cc0c52d14377353d9f04b74c9003841b](https://github.com/entrouvert/authentic2/commit/65571f44cc0c52d14377353d9f04b74c9003841b).

#2 - 09 décembre 2015 15:24 - Benjamin Dauvergne

- Version cible mis à 2.2.0

#3 - 23 février 2016 12:59 - Benjamin Dauvergne

- Statut changé de Résolu (à déployer) à Solution déployée

#4 - 06 décembre 2017 15:30 - Benjamin Dauvergne

- Statut changé de Solution déployée à Fermé