Authentic 2 - Development #9864

Make names of a full name start with a letter in upper case.

03 février 2016 18:24 - Mikaël Ates

Statut:	Fermé		**Début:**	03 février 2016
Priorité:	Normal		**Echéance:**	
Assigné à:			**% réalisé:**	0%
Catégorie:			**Temps estimé:**	0:00 heure
Version cible:				
Patch proposed:	Non		**Planning:**	

Description

In some cases, names of a fullname are not in camel case.
This is ugly when we display it.
We may make this change in get_fullname():

```
diff --git a/src/authentic2/custom_user/models.py b/src/authentic2/custom_user/models.py
index bdd872c..fb2f2f9 100644

--- a/src/authentic2/custom_user/models.py
+++ b/src/authentic2/custom_user/models.py
@@ -65,7 +65,7 @@ class User(AbstractBaseUser, PermissionMixin):
        Returns the first_name plus the last_name, with a space in between.
        """
        full_name = '%s %s' % (self.first_name, self.last_name)
-       return full_name.strip() or self.username or self.email
+       return full_name.strip().title() or self.username or self.email

    def get_short_name(self):
        "Returns the short name for the user."
```

That could affect some SAML SP since the edupersontargetedid of SAML assertions is built on get_username() that may call get_fullname().

Or we could change it in templates :

```
diff --git a/src/authentic2/templates/authentic2/base.html b/src/authentic2/templates/authentic2/base.html
index 36193c9..ba12dc1 100644
--- a/src/authentic2/templates/authentic2/base.html
+++ b/src/authentic2/templates/authentic2/base.html
@@ -22,7 +22,7 @@
 {% block user-links %}
   <ul class="user-info">
     {% if user.is_authenticated %}
-      <li class="ui-name" title="{% blocktrans %}Last login {{ LAST_LOGIN }}{% endblocktrans %}">
{{ user.get_full_name }}</li>
+      <li class="ui-name" title="{% blocktrans %}Last login {{ LAST_LOGIN }}{% endblocktrans %}">
{{ user.get_full_name|title }}</li>
       <li class="ui-logout"><a href="{% block logout-url %}{% url 'auth_logout' %}{% endblock %}"
>{% trans "Logout" %}</a></li>
     {% endif %}
   </ul>
```

Historique

#1 - 03 février 2016 18:40 - Benjamin Dauvergne

I prefer the template solution.

#2 - 03 février 2016 19:57 - Frédéric Péters

This won't work, it will for example capitalize "Charles de Gaulle" as "Charles De Gaulle", or "bell hooks" as "Bell Hooks" As a rule of thumb: names can be anything, they should never be altered.

#3 - 03 février 2016 22:28 - Benjamin Dauvergne

Frederic is right[1], the source must be improved, if capitalization is wrong in the directory then the directory must be updated.

[1]: http://www.kalzumeus.com/2010/06/17/falsehoods-programmers-believe-about-names/

#4 - 04 février 2016 16:03 - Mikaël Ates

- Statut changé de Nouveau à Fermé

Ok. So we can close.